

# LOWRANCE

DISTRIBUTORI UFFICIALI



Specialisti nella Consulenza Tecnica



# PRICE LIST

## MARINE ELECTRONICS

# LOWRANCE

---

**DISTRIBUTORI UFFICIALI**



## HDS-16 PRO

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16006-001 |  Lowrance HDS-16 PRO, No Transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).  | 4249.00         | 5183.78           |
| 000-15991-001 |  Lowrance HDS-16 PRO with ActiveImaging™ HD 3-in-1 transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required). | 4449.00         | 5427.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3685.71         | 4496.57           |
| 000-13335-001 |  NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 1620.83         | 1977.42           |
| 000-13336-001 |  NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 2379.17         | 2902.58           |
| 000-13338-001 |  NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.   | 2108.33         | 2572.17           |
| 000-13337-001 |  NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.   | 1354.17         | 1652.08           |
| 000-13260-001 |  S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.  | 1621.00         | 1977.62           |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.  | 394.00          | 480.68            |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-12742-001 |  HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.  | 69.00           | 84.18             |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.  | 669.00             | 816.18               |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3777.88            | 4609.01              |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3870.05            | 4721.46              |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote  | 3710.74            | 4527.11              |
| 000-12741-001 |  HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.   | 115.00             | 140.30               |
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.  | 1649.00            | 2011.78              |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54            | 5058.78              |
| 000-16062-001 |  ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required. | 449.00             | 547.78               |
| 000-16060-001 |  ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.  | 499.00             | 608.78               |
| 000-16061-001 |  ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.  | 549.00             | 669.78               |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon  | 122.57             | 149.54               |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.   | 2050.00            | 2501.00              |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.  | 2410.00            | 2940.20              |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.   | 2700.00            | 3294.00              |
| 000-11010-001 |  Cavo Adattatore Video   | 99.00              | 120.78               |

## Spare Parts

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-16062-001 |  <p>ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br/>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.</p> | 449.00             | 547.78               |
| 000-0124-70   |  <p>CAP-1 - Set di tappi per connettori per le serie HDS</p>   | 21.99              | 26.83                |
| 000-16088-001 |  <p>HDS-16 PRO Bezel and SD Door</p>   | 47.99              | 58.55                |
| 000-14585-001 |  <p>HDS-16 LIVE/PRO Suncover</p>   | 39.00              | 47.58                |
| 000-14589-001 |  <p>HDS-16 LIVE/PRO Bracket and Knobs</p>  | 89.00              | 108.58               |
| 000-0127-49   |  <p>Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.</p>   | 36.99              | 45.13                |

## HDS-12 PRO

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16003-001 |  Lowrance HDS-12 PRO, No Transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).  | 2699.00         | 3292.78           |
| 000-15988-001 |  Lowrance HDS-12 PRO with ActiveImaging™ HD 3-in-1 transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required). | 2899.00         | 3536.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3685.71         | 4496.57           |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.  | 394.00          | 480.68            |
| 000-13260-001 |  S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.  | 1621.00         | 1977.62           |
| 000-13337-001 |  NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.   | 1354.17         | 1652.08           |
| 000-13338-001 |  NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.   | 2108.33         | 2572.17           |
| 000-13336-001 |  NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 2379.17         | 2902.58           |
| 000-13335-001 |  NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 1620.83         | 1977.42           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-12742-001 |  HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.  | 69.00           | 84.18             |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.  | 669.00             | 816.18               |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3777.88            | 4609.01              |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3870.05            | 4721.46              |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote  | 3710.74            | 4527.11              |
| 000-12741-001 |  HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.   | 115.00             | 140.30               |
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.  | 1649.00            | 2011.78              |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54            | 5058.78              |
| 000-16062-001 |  ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required. | 449.00             | 547.78               |
| 000-15959-001 |  ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts   | 1899.00            | 2316.78              |
| 000-16060-001 |  ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.  | 499.00             | 608.78               |
| 000-16061-001 |  ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.  | 549.00             | 669.78               |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon  | 122.57             | 149.54               |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.   | 2050.00            | 2501.00              |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.  | 2410.00            | 2940.20              |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.   | 2700.00            | 3294.00              |
| 000-11010-001 |  Cavo Adattatore Video   | 99.00              | 120.78               |

## Spare Parts

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-16062-001 |  <p>ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br/>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.</p> | 449.00             | 547.78               |
| 000-0124-70   |  <p>CAP-1 - Set di tappi per connettori per le serie HDS</p>   | 21.99              | 26.83                |
| 000-16087-001 |  <p>HDS-12 PRO Bezel and SD Door</p>   | 59.00              | 71.98                |
| 000-14584-001 |  <p>HDS-12 LIVE/PRO Suncover</p>   | 60.00              | 73.20                |
| 000-14588-001 |  <p>Lowrance HDS-12 LIVE/PRO &amp; Elite FS-12 Bracket and Knobs</p>   | 79.00              | 96.38                |
| 000-0127-49   |  <p>Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.</p>   | 36.99              | 45.13                |

## HDS-10 PRO

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16000-001 |  Lowrance HDS-10 PRO, No Transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).  | 1999.00         | 2438.78           |
| 000-15985-001 |  Lowrance HDS-10 PRO with ActiveImaging™ HD 3-in-1 transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required). | 2199.00         | 2682.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3685.71         | 4496.57           |
| 000-13335-001 |  NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 1620.83         | 1977.42           |
| 000-13336-001 |  NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 2379.17         | 2902.58           |
| 000-13338-001 |  NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.   | 2108.33         | 2572.17           |
| 000-13337-001 |  NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.   | 1354.17         | 1652.08           |
| 000-13260-001 |  S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.  | 1621.00         | 1977.62           |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.  | 394.00          | 480.68            |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3777.88         | 4609.01           |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3870.05         | 4721.46           |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote  | 3710.74         | 4527.11           |
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.   | 1649.00         | 2011.78           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 4146.54         | 5058.78           |
| 000-16062-001 |  ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required. | 449.00          | 547.78            |
| 000-15959-001 |  ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts  | 1899.00         | 2316.78           |
| 000-16060-001 |  ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.  | 499.00          | 608.78            |
| 000-16061-001 |  ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.  | 549.00          | 669.78            |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon  | 122.57          | 149.54            |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.   | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.  | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.   | 2700.00         | 3294.00           |
| 000-11010-001 |  Cavo Adattatore Video   | 99.00           | 120.78            |

## Spare Parts

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-16062-001 |  <p>ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br/>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.</p> | 449.00             | 547.78               |
| 000-16057-001 |  <p>HDS-10 PRO Bezel and SD Door</p>   | 47.99              | 58.55                |
| 000-16056-001 |  <p>HDS-10 PRO / Elite FS-10 Bracket</p>   | 65.00              | 79.30                |
| 000-16059-001 |  <p>HDS-10 PRO Suncover</p>  | 45.00              | 54.90                |
| 000-0124-70   |  <p>CAP-1 - Set di tappi per connettori per le serie HDS</p>   | 21.99              | 26.83                |
| 000-0127-49   |  <p>Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.</p>   | 36.99              | 45.13                |

## HDS-9 PRO

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15997-001 |  Lowrance HDS-9 PRO, No Transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).  | 1699.00         | 2072.78           |
| 000-15982-001 |  Lowrance HDS-9 PRO with ActiveImaging™ HD 3-in-1 transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required). | 1899.00         | 2316.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3685.71         | 4496.57           |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.  | 394.00          | 480.68            |
| 000-13260-001 |  S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.  | 1621.00         | 1977.62           |
| 000-13337-001 |  NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.   | 1354.17         | 1652.08           |
| 000-13338-001 |  NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.   | 2108.33         | 2572.17           |
| 000-13336-001 |  NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 2379.17         | 2902.58           |
| 000-13335-001 |  NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.  | 1620.83         | 1977.42           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3777.88         | 4609.01           |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3870.05         | 4721.46           |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote   | 3710.74         | 4527.11           |
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.  | 1649.00         | 2011.78           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54         | 5058.78           |
| 000-15959-001 |  ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts  | 1899.00         | 2316.78           |
| 000-16062-001 |  ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required. | 449.00          | 547.78            |
| 000-16060-001 |  ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.   | 499.00          | 608.78            |
| 000-16061-001 |  ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.   | 549.00          | 669.78            |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon   | 122.57          | 149.54            |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.  | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.   | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.  | 2700.00         | 3294.00           |
| 000-11010-001 |  Cavo Adattatore Video  | 99.00           | 120.78            |

## Spare Parts

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-16062-001 |  <p>ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br/>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.</p> | 449.00             | 547.78               |
| 000-16086-001 |  <p>HDS-9 PRO Bezel and SD Door</p>  | 47.99              | 58.55                |
| 000-0124-70   |  <p>CAP-1 - Set di tappi per connettori per le serie HDS</p>   | 21.99              | 26.83                |
| 000-14583-001 |  <p>HDS-9 LIVE/PRO Suncover</p>  | 35.00              | 42.70                |
| 000-14587-001 |  <p>HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs</p>   | 59.00              | 71.98                |
| 000-0127-49   |  <p>Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.</p>   | 36.99              | 45.13                |

## Elite-12 FS

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16440-001 |  Elite™ FS 12 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module | 2299.00         | 2804.78           |
| 000-16439-001 |  Elite™ FS 12 No Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module                         | 2149.00         | 2621.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.   | 394.00          | 480.68            |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3685.71         | 4496.57           |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3777.88         | 4609.01           |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-10029-001 |  NEP-2 Espansore Porte di Rete  | 309.00          | 376.98            |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote   | 3710.74         | 4527.11           |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3870.05         | 4721.46           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54         | 5058.78           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.   | 1649.00         | 2011.78           |
| 000-15959-001 |  ActiveTarget@ 2 kit Includes ActiveTarget@ 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts  | 1899.00         | 2316.78           |
| 000-16446-001 | Elite™ FS 12 Flushmount kit  | 45.00           | 54.90             |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon   | 122.57          | 149.54            |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.  | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far. | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.          | 2700.00         | 3294.00           |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14489-001 |  ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector. | 361.99          | 441.63            |
| 000-16444-001 | Protective suncover for Elite FS 12   | 60.00           | 73.20             |
| 000-14041-001 |  2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.   | 32.99           | 40.25             |
| 000-12568-001 |  TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.   | 362.00          | 441.64            |
| 000-15777-001 |  Corner Clip ELITE-7, 9, 10, and 12 FS   | 16.98           | 20.72             |
| 000-14588-001 |  Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs  | 79.00           | 96.38             |

## Elite-10 FS

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16438-001 |  Elite™ FS 10 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module | 1699.00         | 2072.78           |
| 000-16437-001 |  Elite™ FS 10 No Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module                         | 1549.00         | 1889.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.   | 394.00          | 480.68            |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3685.71         | 4496.57           |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3777.88         | 4609.01           |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote   | 3710.74         | 4527.11           |
| 000-10029-001 |  NEP-2 Espansore Porte di Rete  | 309.00          | 376.98            |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3870.05         | 4721.46           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54         | 5058.78           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.   | 1649.00         | 2011.78           |
| 000-15959-001 |  ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts  | 1899.00         | 2316.78           |
| 000-16445-001 | Elite™ FS 10 Flushmount kit  | 45.00           | 54.90             |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon   | 122.57          | 149.54            |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.  | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far. | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.          | 2700.00         | 3294.00           |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14489-001 |  ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector. | 361.99          | 441.63            |
| 000-16443-001 | Protective suncover for Elite FS 10   | 45.00           | 54.90             |
| 000-16056-001 |  HDS-10 PRO / Elite FS-10 Bracket  | 65.00           | 79.30             |
| 000-14041-001 |  2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.   | 32.99           | 40.25             |
| 000-12568-001 |  TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.   | 362.00          | 441.64            |
| 000-15777-001 |  Corner Clip ELITE-7, 9, 10, and 12 FS   | 16.98           | 20.72             |

## Elite-9 FS

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15706-001 |  ELITE FS 9 with No Transducer (ROW)<br>The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category                    | 949.00          | 1157.78           |
| 000-15693-001 |  ELITE FS 9 with Active Imaging 3-in-1 Transducer (ROW)<br>The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category | 1099.00         | 1340.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.  | 3685.71         | 4496.57           |
| 000-16145-001 |  Power Harness Cable for Explorer Series Pack with Elite FS 9   | 44.99           | 54.99             |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.  | 394.00          | 480.68            |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass   | 3238.84         | 3951.39           |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass   | 3511.57         | 4284.12           |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3777.88         | 4609.01           |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3870.05         | 4721.46           |
| 000-10029-001 |  NEP-2 Espansore Porte di Rete  | 309.00          | 376.98            |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote   | 3710.74         | 4527.11           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.   | 1649.00         | 2011.78           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54         | 5058.78           |
| 000-15959-001 |  ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts  | 1899.00         | 2316.78           |
| 000-15786-001 | FLUSH MOUNT KIT: ELITE FS 9  | 25.00           | 30.50             |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon   | 122.57          | 149.54            |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.  | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far. | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.        | 2700.00         | 3294.00           |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14041-001 |  2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS. | 32.99           | 40.25             |
| 000-15777-001 |  Corner Clip ELITE-7, 9, 10, and 12 FS                         | 16.98           | 20.72             |
| 000-14587-001 |  HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs                  | 59.00           | 71.98             |

## Elite-7 FS

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15702-001 |  ELITE FS 7 with No Transducer (ROW)<br>The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category                     | 849.00          | 1035.78           |
| 000-15697-001 |  ELITE FS 7 with xSonic HDI M/H 455/800 Transducer (ROW)<br>The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category | 899.00          | 1096.78           |
| 000-15689-001 |  ELITE FS 7 with Active Imaging 3-in-1 Transducer (ROW)<br>The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category  | 999.00          | 1218.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.  | 689.00          | 840.58            |
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9! | 279.00          | 340.38            |
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.   | 1080.00         | 1317.60           |
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3685.71         | 4496.57           |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.  | 394.00          | 480.68            |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                            | 1099.00         | 1340.78           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3777.88         | 4609.01           |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 3870.05         | 4721.46           |
| 000-10029-001 |  NEP-2 Espansore Porte di Rete  | 309.00          | 376.98            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote   | 3710.74         | 4527.11           |
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.   | 1649.00         | 2011.78           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone.   | 4146.54         | 5058.78           |
| 000-15959-001 |  ActiveTarget@ 2 kit Includes ActiveTarget@ 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts  | 1899.00         | 2316.78           |
| 000-15785-001 | FLUSH MOUNT KIT: ELITE FS 7  | 25.00           | 30.50             |
| 000-14505-001 |  LOWRANCE REMOTE CONTROLLER LR-1<br>Bluetooth Remote controller for HDS Live and HDS Carbon   | 122.57          | 149.54            |
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.  | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far. | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.          | 2700.00         | 3294.00           |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14041-001 |  2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS. | 32.99           | 40.25             |
| 000-15778-001 |  SUNCOVER: ELITE-7 FS  | 35.00           | 42.70             |
| 000-15777-001 |  Corner Clip ELITE-7, 9, 10, and 12 FS                         | 16.98           | 20.72             |
| 000-14586-001 |  HDS-7 LIVE Bracket and Knobs                                  | 39.00           | 47.58             |

## Eagle-4x

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16110-001 |  Eagle-4x: 4" IPS Portrait Fish Finder: Bullet transducer | 149.00          | 181.78            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16252-001 |  EAGLE 4" Dash gasket kit | 23.00           | 28.06             |
| 000-16248-001 |  EAGLE 4" Sun cover       | 22.72           | 27.72             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16367-001 | Eagle 4X Bullet Skimmer transducer / power cable  | 79.99           | 97.59             |
| 000-14170-001 |  Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket. | 21.99           | 26.83             |

## Eagle-5

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16236-001 |  Eagle-5 No Transducer ROW: 5" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts).                          | 289.00          | 352.58            |
| 000-16310-001 |  Eagle-5 50/200 KHz ROW: 5" IPS screen, HDI 50/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)  | 359.00          | 437.98            |
| 000-16307-001 |  Eagle-5 83/200 KHz ROW: 5" IPS screen, HDI 83/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)  | 339.00          | 413.58            |
| 000-16112-001 |  Eagle-5 SplitShot™ HD ROW: 5" IPS screen, SplitShot™ HD transducer. Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts) | 329.00          | 401.38            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16253-001 |  EAGLE 5" Dash gasket kit | 13.63           | 16.63             |
| 000-16249-001 |  EAGLE 5" Sun cover      | 22.72           | 27.72             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15640-001 |  HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2) | 116.99          | 142.73            |
| 000-15639-001 |  HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)       | 240.99          | 294.01            |
| 000-16284-001 |  EAGLE SplitShot™ HD 8 pin transducer. 6 m (20 ft cable)   | 99.99           | 121.99            |
| 000-16314-001 |  EAGLE 5, 7, 9 Power cable   | 22.99           | 28.05             |
| 000-16315-001 |  EAGLE replacement twist locks   | 16.00           | 19.52             |
| 000-14170-001 | " data-bbox="206 811 241 836"/> Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.   | 21.99           | 26.83             |

## Eagle-7

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16230-001 |  Eagle-7 No Transducer ROW: 7" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)                          | 419.00          | 511.18            |
| 000-16311-001 |  Eagle-7 50/200 ROW: 7" IPS screen, 50/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)     | 489.00          | 596.58            |
| 000-16308-001 |  Eagle-7 83/200 ROW: 7" IPS screen, 83/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)     | 469.00          | 572.18            |
| 000-16115-001 |  Eagle-7 SplitShot HD ROW: 7" IPS screen, SplitShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts) | 459.00          | 559.98            |
| 000-16121-001 |  Eagle-7 TripleShot™ ROW: 7" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts) | 549.00          | 669.78            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16254-001 |  EAGLE 7" Dash gasket kit | 15.00           | 18.30             |
| 000-16250-001 |  EAGLE 7" Sun cover                | 22.72           | 27.72             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15640-001 |  HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2) | 116.99          | 142.73            |
| 000-15639-001 |  HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)       | 240.99          | 294.01            |
| 000-16284-001 |  EAGLE SplitShot™ HD 8 pin transducer. 6 m (20 ft cable)   | 99.99           | 121.99            |
| 000-16285-001 |  EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)  | 181.81          | 221.81            |
| 000-16314-001 |  EAGLE 5, 7, 9 Power cable   | 22.99           | 28.05             |
| 000-16313-001 | EAGLE 7, 9 corner clips   | 14.99           | 18.29             |
| 000-16315-001 |  EAGLE replacement twist locks   | 16.00           | 19.52             |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-11019-001 | <br>Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7<br>*Not for use with Elite-7 Ti | 45.14              | 55.07                |
| 000-14172-001 | <br>Power Cable for Hook2, Hook Reveal & Cruise   | 21.99              | 26.83                |

## Eagle-9

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16231-001 |  Eagle-9 No Transducer ROW: 9" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)                          | 599.00          | 730.78            |
| 000-16124-001 |  Eagle-9 HDI ROW: 9" IPS screen, 50/200 kHz HDI CHIRP transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts). | 649.00          | 791.78            |
| 000-16127-001 |  Eagle-9 TripleShot™ ROW: 9" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts) | 699.00          | 852.78            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16255-001 |  EAGLE 9" Dash gasket kit | 20.90           | 25.50             |
| 000-16251-001 |  EAGLE 9" Sun cover                | 24.54           | 29.94             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15639-001 |  HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2) | 240.99          | 294.01            |
| 000-16285-001 |  EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)  | 181.81          | 221.81            |
| 000-16314-001 |  EAGLE 5, 7, 9 Power cable   | 22.99           | 28.05             |
| 000-16313-001 | EAGLE 7, 9 corner clips   | 14.99           | 18.29             |
| 000-16315-001 |  EAGLE replacement twist locks   | 16.00           | 19.52             |
| 000-14171-001 |  Gimbal Bracket for Hook2/Hook Reveal 9"   | 49.99           | 60.99             |

## Eagle Eye-9

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16130-001 |  Eagle Eye™ 9 Live ROW: 9" IPS screen, Eagle Eye™ transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)   | 1199.00         | 1462.78           |
| 000-16368-001 |  Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays. | 399.00          | 486.78            |
| 000-16369-001 |  Eagle Eye™ Transducer Trolling Motor Mount  | 29.00           | 35.38             |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16468-001 |  Eagle Eye™ Transducer Pole Mount                   | 49.99           | 60.99             |
| 000-16255-001 |  EAGLE 9" Dash gasket kit | 20.90           | 25.50             |
| 000-16251-001 |  EAGLE 9" Sun cover              | 24.54           | 29.94             |

## Spare Parts


| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16368-001 |  Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays. | 399.00          | 486.78            |
| 000-16369-001 |  Eagle Eye™ Transducer Trolling Motor Mount  | 29.00           | 35.38             |
| 000-16314-001 |  EAGLE 5, 7, 9 Power cable   | 22.99           | 28.05             |
| 000-16313-001 | EAGLE 7, 9 corner clips   | 14.99           | 18.29             |
| 000-16315-001 |  EAGLE replacement twist locks   | 16.00           | 19.52             |
| 000-14171-001 |  Gimbal Bracket for Hook2/Hook Reveal 9"   | 49.99           | 60.99             |

## ACCESSORIES

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16252-001 |  EAGLE 4" Dash gasket kit   | 23.00           | 28.06             |
| 000-16468-001 |  Eagle Eye™ Transducer Pole Mount   | 49.99           | 60.99             |
| 000-16248-001 |  EAGLE 4" Sun cover   | 22.72           | 27.72             |
| 000-16463-001 | EAGLE SPLITSHOT HD SKIMMER XDCR  | 114.99          | 140.29            |
| 000-16253-001 |  EAGLE 5" Dash gasket kit   | 13.63           | 16.63             |
| 000-16249-001 |  EAGLE 5" Sun cover   | 22.72           | 27.72             |
| 000-16254-001 |  EAGLE 7" Dash gasket kit  | 15.00           | 18.30             |
| 000-16250-001 |  EAGLE 7" Sun cover   | 22.72           | 27.72             |
| 000-16255-001 |  EAGLE 9" Dash gasket kit   | 20.90           | 25.50             |
| 000-16251-001 |  EAGLE 9" Sun cover   | 24.54           | 29.94             |
| 000-16367-001 | Eagle 4X Bullet Skimmer transducer / power cable   | 79.99           | 97.59             |
| 000-16284-001 |  EAGLE SplitShot™ HD 8 pin transducer. 6 m (20 ft cable)                  | 99.99           | 121.99            |
| 000-16285-001 |  EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)                 | 181.81          | 221.81            |
| 000-16317-001 |  Transom mount bracket for Eagle TripleShot™ HD and Eagle Eye™ Transducer | 23.00           | 28.06             |
| 000-16314-001 |  EAGLE 5, 7, 9 Power cable  | 22.99           | 28.05             |
| 000-16313-001 | EAGLE 7, 9 corner clips  | 14.99           | 18.29             |
| 000-16315-001 |  EAGLE replacement twist locks  | 16.00           | 19.52             |

## Accessories

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-14414-001 |  8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer | 54.99              | 67.09                |
| 000-14411-001 |  SPLITSHOT Inline temperature sensor: Hook2/Reveal   | 54.99              | 67.09                |

## Spare Parts

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16317-001 |  Transom mount bracket for Eagle TripleShot™ HD and Eagle Eye™ Transducer | 23.00              | 28.06                |

## ACCESSORIES

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14414-001 |  8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer | 54.99           | 67.09             |
| 000-14413-001 |  Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable   | 54.99           | 67.09             |
| 000-14412-001 |  Hook2 Transducer Y-Cable<br>Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.                                      | 61.79           | 75.38             |
| 000-14027-001 |  Bullet Skimmer Transducer for Hook2-4X, with built in power cable.  | 69.00           | 84.18             |
| 000-14028-001 |  SplitShot Skimmer Transducer  | 98.99           | 120.77            |
| 000-14029-001 |  TripleShot Skimmer Transducer. With 6 m (19.7 ft) cable.  | 181.99          | 222.03            |
| 000-14192-001 |  Bullet/SplitShot Transom Bracket  | 13.99           | 17.07             |
| 000-14193-001 |  TripleShot Transom Bracket  | 18.00           | 21.96             |
| 000-14410-001 |  HOOK2-4X INLINE TEMP SENSOR   | 69.00           | 84.18             |
| 000-14070-001 |  HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable  | 33.00           | 40.26             |
| 000-14173-001 |  HOOK2 4x Sun Cover  | 21.99           | 26.83             |
| 000-14170-001 | " data-bbox="206 661 243 681"/> Lowrance Hook2-4"/>"5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.   | 21.99           | 26.83             |
| 000-14068-001 |  7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatibility in description!   | 32.99           | 40.25             |
| 000-14069-001 |  xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatibility in Details!  | 32.99           | 40.25             |
| 000-14172-001 |  Power Cable for Hook2, Hook Reveal & Cruise   | 21.99           | 26.83             |
| 000-14191-001 | " data-bbox="206 866 243 886"/> HOOK2 7"/>"9"/>"12", Hook Reveal 7"/>"9" corner clips   | 13.99           | 17.07             |
| 000-14411-001 |  SPLITSHOT Inline temperature sensor: Hook2/Reveal   | 54.99           | 67.09             |

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14174-001 |  HOOK2 / HOOK Reveal 5" Sun Cover        | 21.99           | 26.83             |
| 000-14175-001 |  HOOK2 7" Sun Cover                      | 21.99           | 26.83             |
| 000-14176-001 |  HOOK2 9" Sun Cover                      | 23.99           | 29.27             |
| 000-14171-001 |  Gimbal Bracket for Hook2/Hook Reveal 9" | 49.99           | 60.99             |
| 000-14177-001 |  HOOK2 12" Sun Cover                     | 35.00           | 42.70             |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14414-001 |  8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer | 54.99           | 67.09             |

## Spare Parts

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14192-001 |  Bullet/SplitShot Transom Bracket | 13.99           | 17.07             |
| 000-14193-001 |  TripleShot Transom Bracket       | 18.00           | 21.96             |


Ice / All season

Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14183-001 |  <p>HOOK2-4x All Season Pack (EU)<br/>The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.</p>   | 269.99          | 329.39            |
| 000-14184-001 |  <p>HOOK2-4x GPS All Season Pack (EU)<br/>The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.</p> | 299.99          | 365.99            |
| 000-15544-001 |  <p>HOOK REVEAL 5 ROW ICEMACHINE: Hook Reveal 5/ Ice Transducer / Ice Bag</p>  | 462.18          | 563.86            |

Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14088-001 |  <p>HOOK2-4x Ice Transducer with power lead.</p>  | 149.00          | 181.78            |
| 000-14089-001 | " data-bbox="195 407 245 432"/> <p>Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz</p>   | 119.00          | 145.18            |
| 000-14414-001 |  <p>8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as SplitShot, TripleShot, Cruise Skimmer</p> | 54.99           | 67.09             |
| 000-14413-001 |  <p>Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable</p>   | 54.99           | 67.09             |
| 000-14028-001 |  <p>SplitShot Skimmer Transducer</p>  | 98.99           | 120.77            |
| 000-14192-001 |  <p>Bullet/SplitShot Transom Bracket</p>  | 13.99           | 17.07             |
| 000-14070-001 |  <p>HOOK2-4X to 7pin Blue Transducer Adapter &amp; Power Cable</p>  | 33.00           | 40.26             |
| 000-14173-001 |  <p>HOOK2 4x Sun Cover</p>  | 21.99           | 26.83             |
| 000-14170-001 | " data-bbox="195 747 245 772"/> <p>Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.</p>   | 21.99           | 26.83             |
| 000-14068-001 |  <p>7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatibility in description!</p>   | 32.99           | 40.25             |
| 000-14069-001 |  <p>xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatibility in Details!</p>  | 32.99           | 40.25             |
| 000-14172-001 |  <p>Power Cable for Hook2, Hook Reveal &amp; Cruise</p>   | 21.99           | 26.83             |

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14411-001 |  SPLITSHOT Inline temperature sensor: Hook2/Reveal | 54.99           | 67.09             |
| 000-14174-001 |  HOOK2 / HOOK Reveal 5" Sun Cover | 21.99           | 26.83             |
| 000-14175-001 |  HOOK2 7" Sun Cover               | 21.99           | 26.83             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14089-001 | " data-bbox="196 294 248 319"/> Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz   | 119.00          | 145.18            |
| 000-11019-001 |  Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7<br>*Not for use with Elite-7 Ti | 45.14           | 55.07             |
| 000-14027-001 |  Bullet Skimmer Transducer for Hook2-4X, with built in power cable.  | 69.00           | 84.18             |
| 000-14192-001 |  Bullet/SplitShot Transom Bracket   | 13.99           | 17.07             |
| 000-14170-001 | " data-bbox="196 494 248 519"/> Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.   | 21.99           | 26.83             |
| 000-14172-001 |  Power Cable for Hook2, Hook Reveal & Cruise   | 21.99           | 26.83             |
| 000-14191-001 | " data-bbox="196 594 248 619"/> HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips   | 13.99           | 17.07             |

Premium Ice

Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15954-001 |  <p>Explorer Ice Bag &amp; Transducer Pole</p> <p>Comes With:</p> <ul style="list-style-type: none"> <li>- Premium Explorer Bag and Shuttle Frame</li> <li>- Custom wiring harness and master power switch</li> <li>- Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout</li> </ul> | 449.99          | 548.99            |
| 000-15953-001 |  <p>Explorer Ice Bag</p> <p>Comes With:</p> <ul style="list-style-type: none"> <li>- Premium Explorer Bag and Shuttle Frame</li> <li>- Custom wiring harness and master power switch</li> </ul>  | 299.99          | 365.99            |
| 000-15955-001 |  <p>Explorer Ice Pole</p> <p>Comes With:</p> <ul style="list-style-type: none"> <li>- Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout</li> </ul>   | 169.99          | 207.39            |

## Portable ACCY.

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16145-001 |  Power Harness Cable for Explorer Series Pack with Elite FS 9         | 44.99           | 54.89             |
| 000-16146-001 | 0.3m (1 ft) Extension pole for Explorer Series Ice Pole (not Included), ideal for thicker ice areas and more depth                                     | 29.99           | 36.59             |
| 000-14088-001 |  HOOK2-4x Ice Transducer with power lead.                             | 149.00          | 181.78            |
| 000-14089-001 |  Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz            | 119.00          | 145.18            |
| 000-14889-001 |  Ice transducer with 9 Pin connector. 83/200 Medium/High frequencies. | 119.00          | 145.18            |
| 000-15112-001 |  PORTABLE PK 7" & UNDER HOOK2/ELITE TI EMEA                           | 387.00          | 472.14            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14899-001 |  PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system. | 410.99          | 501.41            |
| 000-14414-001 |  8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer  | 54.99           | 67.09             |

## Spare Parts

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14963-001 |  Replacement Ice Mount for LiveSight Transducer | 319.99          | 390.39            |

## RECON Freshwater

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16172-001 |  Lowrance RECON™ Freshwater 48" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone. | 3685.71         | 4496.57           |
| 000-16173-001 |  Lowrance RECON™ Freshwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone. | 3777.88         | 4609.01           |
| 000-16174-001 |  Lowrance RECON™ Freshwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone. | 3870.05         | 4721.46           |
| 000-16175-001 |  Lowrance RECON™ Freshwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote, Wireless Foot Pedal, HDI Nosecone. | 4146.54         | 5058.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16421-001 |  Recon™ Quick Release Bracket - HD Composite - BLACK                                 | 418.11          | 510.09            |
| 000-16501-001 |  ActiveTarget® 2 XL RECON™ Mount.   | 286.00          | 348.92            |
| 000-16422-001 |  Recon™ Quick Release Bracket – HD Aluminum – BLACK                                 | 259.00          | 315.98            |
| 000-16420-001 |  RECON™ Quick Release Bracket - HD Composite - WHITE                                | 418.11          | 510.09            |
| 000-16287-001 |  Compact GPS Remote.  | 139.99          | 170.79            |
| 000-16353-001 |  RECON™ Active Imaging 3-in-1 Nosecone. (Not compatible with GHOST trolling motors) | 397.76          | 485.27            |
| 000-16503-001 |  RECON™ ActiveTarget® 2 Mounting kit.   | 343.00          | 418.46            |
| 000-16462-001 |  TM ACTIVETARGET 2 MOUNTING KIT   | 234.00          | 285.48            |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16178-001 |  RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST) | 70.18           | 85.62             |
| 000-16177-001 |  Lowrance advanced wireless trolling motor foot pedal  | 584.95          | 713.64            |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16412-001 |  PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL   | 467.96             | 570.91               |
| 000-16176-001 |  Lowrance FreeSteer™ Trolling motor joystick remote   | 350.97             | 428.18               |
| 000-16415-001 |  BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS  | 116.98             | 142.72               |
| 000-0119-79   |  N2K-T-RD - connettore a T NMEA 2000® per il collegamento in rete di dispositivo aggiuntivo   | 22.00              | 26.84                |
| 000-16385-001 |  COLUMN CAP KIT   | 13.37              | 16.31                |
| 000-16386-001 |  MOUNT HW/LINKAGE KIT,RECON   | 188.02             | 229.38               |
| 000-16387-001 |  TRANSMISSION TILT PIN KIT,RECON   | 20.89              | 25.49                |
| 000-16388-001 |  RECON,PEDAL,STOW/DEPLOY  | 18.38              | 22.42                |
| 000-16392-001 |  UI COVER DECAL KIT,RECON   | 16.70              | 20.37                |
| 000-15327-001 |  Mini 9-pin to 9-pin Sonar adapter cable  | 49.99              | 60.99                |
| 000-16362-001 |  RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.) | 150.41             | 183.50               |
| 000-16405-001 |  COIL CABLE KIT (48-54")  | 450.00             | 549.00               |
| 000-16406-001 |  COIL CABLE KIT (60")   | 278.63             | 339.93               |
| 000-16407-001 |  COIL CABLE KIT (72")   | 298.53             | 364.21               |
| 000-16414-001 |  BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS   | 23.88              | 29.13                |
| 000-16416-001 |  DAMPER ASSEMBLY,PEDAL,ADV WIRELESS   | 67.67              | 82.56                |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16375-001 |  DEPTH COLLAR ASSEMBLY,CAM LOCK         | 20.89              | 25.49                |
| 000-16397-001 |  MOUNT CONTROLLER/UI BOARD KIT,RECON    | 346.80             | 423.10               |
| 000-16372-001 |  LOWER UNIT,RECON,24/36,FW              | 1086.35            | 1325.35              |
| 000-16376-001 | COLUMN KIT,RECON,48",FW  | 250.69             | 305.84               |
| 000-16377-001 | COLUMN KIT,RECON,54",FW  | 250.69             | 305.84               |
| 000-16378-001 | COLUMN KIT,RECON,60",FW  | 250.69             | 305.84               |
| 000-16379-001 | COLUMN KIT,RECON,72",FW  | 292.47             | 356.81               |
| 000-16384-001 |  TRANSMISSION ASSEMBLY,RECON,FW         | 396.93             | 484.25               |
| 000-16389-001 |  SIDEPLATE KIT,RECON,LFW               | 81.89              | 99.91                |
| 000-16393-001 |  UI COVER,RECON,FW                    | 66.85              | 81.56                |
| 000-16395-001 |  MOUNT CRADLE KIT,RECON,FW            | 58.50              | 71.37                |
| 000-16399-001 |  MOUNT ASSEMBLY,MECH,SERVICE,RECON,FW | 667.69             | 814.58               |
| 000-16401-001 |  HEAD COVER GPS PCB ASSY,RECON,FW     | 357.45             | 436.09               |
| 000-16403-001 |  HEAD BASE AND WEDGE KIT FW           | 31.84              | 38.84                |
| 000-16408-001 |  BATT DOOR,JOYSTICK REMOTE            | 15.92              | 19.42                |

## RECON Saltwater

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16179-001 |  Lowrance RECON™ Saltwater 54" Trolling Motor. Includes FreeSteer™ Joystick Remote. | 4054.80         | 4946.86           |
| 000-16180-001 |  Lowrance RECON™ Saltwater 60" Trolling Motor. Includes FreeSteer™ Joystick Remote. | 4146.54         | 5058.78           |
| 000-16181-001 |  Lowrance RECON™ Saltwater 72" Trolling Motor. Includes FreeSteer™ Joystick Remote. | 4238.71         | 5171.23           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16177-001 |  Lowrance advanced wireless trolling motor foot pedal   | 584.95          | 713.64            |
| 000-16421-001 |  Recon™ Quick Release Bracket - HD Composite - BLACK  | 418.11          | 510.09            |
| 000-16422-001 |  Recon™ Quick Release Bracket – HD Aluminum – BLACK  | 259.00          | 315.98            |
| 000-16420-001 |  RECON™ Quick Release Bracket - HD Composite - WHITE  | 418.11          | 510.09            |
| 000-16287-001 |  Compact GPS Remote.  | 139.99          | 170.79            |
| 000-16362-001 |  RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.) | 150.41          | 183.50            |
| 000-16353-001 |  RECON™ Active Imaging 3-in-1 Nosecone. (Not compatible with GHOST trolling motors)   | 397.76          | 485.27            |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16178-001 |  RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST) | 70.18           | 85.62             |
| 000-16412-001 |  PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL  | 467.96          | 570.91            |
| 000-16176-001 |  Lowrance FreeSteer™ Trolling motor joystick remote  | 350.97          | 428.18            |
| 000-16415-001 |  BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS   | 116.98          | 142.72            |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-0119-79   |  N2K-T-RD - connettore a T NMEA 2000® per il collegamento in rete di dispositivo aggiuntivo  | 22.00              | 26.84                |
| 000-16385-001 |  COLUMN CAP KIT  | 13.37              | 16.31                |
| 000-16386-001 |  MOUNT HW/LINKAGE KIT,RECON  | 188.02             | 229.38               |
| 000-16387-001 |  TRANSMISSION TILT PIN KIT,RECON   | 20.89              | 25.49                |
| 000-16388-001 |  RECON,PEDAL,STOW/DEPLOY   | 18.38              | 22.42                |
| 000-16392-001 |  UI COVER DECAL KIT,RECON  | 16.70              | 20.37                |
| 000-16405-001 |  COIL CABLE KIT (48-54")  | 450.00             | 549.00               |
| 000-15723-001 |  The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water.<br>NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty. | 22.99              | 28.05                |
| 000-16406-001 |  COIL CABLE KIT (60")  | 278.63             | 339.93               |
| 000-16407-001 |  COIL CABLE KIT (72")  | 298.53             | 364.21               |
| 000-16414-001 |  BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS  | 23.88              | 29.13                |
| 000-16416-001 |  DAMPER ASSEMBLY,PEDAL,ADV WIRELESS  | 67.67              | 82.56                |
| 000-16375-001 |  DEPTH COLLAR ASSEMBLY,CAM LOCK  | 20.89              | 25.49                |
| 000-16397-001 |  MOUNT CONTROLLER/UI BOARD KIT,RECON   | 346.80             | 423.10               |
| 000-16380-001 | COLUMN KIT,RECON,54",SW   | 250.69             | 305.84               |
| 000-16381-001 | COLUMN KIT,RECON,60",SW   | 271.58             | 331.33               |
| 000-16382-001 | COLUMN KIT,RECON,72",SW   | 313.36             | 382.30               |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16383-001 |  TRANSMISSION ASSEMBLY,RECON,SW       | 417.82             | 509.74               |
| 000-16390-001 |  SIDEPLATE KIT,RECON,LSW              | 93.59              | 114.18               |
| 000-16394-001 |  UI COVER,RECON,SW                    | 66.85              | 81.56                |
| 000-16396-001 |  MOUNT CRADLE KIT,RECON,SW            | 58.50              | 71.37                |
| 000-16400-001 |  MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW | 675.88             | 824.57               |
| 000-16402-001 |  HEAD COVER GPS PCB ASSY,RECON,SW     | 357.45             | 436.09               |
| 000-16404-001 |  HEAD BASE AND WEDGE KIT SW          | 31.84              | 38.84                |
| 000-16408-001 |  BATT DOOR,JOYSTICK REMOTE          | 15.92              | 19.42                |
| 000-16374-001 |  NOSECONE,NOXD,RECON,WHITE          | 50.13              | 61.16                |

## RECON Accessories

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16178-001 |  RECON™ 2-blade Weedless Prop. For fresh / salt water RECON™ trolling motors (Not compatible with GHOST)  | 70.18           | 85.62             |
| 000-16177-001 |  Lowrance advanced wireless trolling motor foot pedal   | 584.95          | 713.64            |
| 000-16176-001 |  Lowrance FreeSteer™ Trolling motor joystick remote   | 350.97          | 428.18            |
| 000-16421-001 |  Recon™ Quick Release Bracket - HD Composite - BLACK  | 418.11          | 510.09            |
| 000-16422-001 |  Recon™ Quick Release Bracket - HD Aluminum - BLACK   | 259.00          | 315.98            |
| 000-16420-001 |  RECON™ Quick Release Bracket - HD Composite - WHITE  | 418.11          | 510.09            |
| 000-16287-001 |  Compact GPS Remote.  | 139.99          | 170.79            |
| 000-16362-001 |  RECON HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp, and DownScan 455 kHz, 800 kHz. (Not compatible with GHOST trolling motors.) | 150.41          | 183.50            |
| 000-16353-001 |  RECON™ Active Imaging 3-in-1 Nosecone. (Not compatible with GHOST trolling motors)   | 397.76          | 485.27            |
| 000-16409-001 |  Lowrance lanyard for FreeSteer joystick remote   | 29.24           | 35.67             |

## Spare Parts

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16413-001 |  12 V DC Power cable for Advanced wireless trolling motor foot pedal. | 23.87           | 29.12             |
| 000-16409-001 |  Lowrance lanyard for FreeSteer joystick remote                       | 29.24           | 35.67             |

## Service Parts

## Main Products

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16413-001 |  12 V DC Power cable for Advanced wireless trolling motor foot pedal. | 23.87              | 29.12                |
| 000-16412-001 |  PEDAL ASSY,ADV WRLESS,NOPWR_NOMODL                                   | 467.96             | 570.91               |
| 000-16415-001 |  BUTTON MODL ASSY LWR,PEDAL,ADV WRLESS                                | 116.98             | 142.72               |
| 000-16385-001 |  COLUMN CAP KIT   | 13.37              | 16.31                |
| 000-16386-001 |  MOUNT HW/LINKAGE KIT,RECON   | 188.02             | 229.38               |
| 000-16387-001 |  TRANSMISSION TILT PIN KIT,RECON                                     | 20.89              | 25.49                |
| 000-16388-001 |  RECON,PEDAL,STOW/DEPLOY  | 18.38              | 22.42                |
| 000-16392-001 |  UI COVER DECAL KIT,RECON   | 16.70              | 20.37                |
| 000-16405-001 |  COIL CABLE KIT (48-54")                                      | 450.00             | 549.00               |
| 000-16406-001 |  COIL CABLE KIT (60")   | 278.63             | 339.93               |
| 000-16407-001 |  COIL CABLE KIT (72")   | 298.53             | 364.21               |
| 000-16414-001 |  BATT DOOR/CENTER CLIP,PEDAL,ADV WRLESS                             | 23.88              | 29.13                |
| 000-16416-001 |  DAMPER ASSEMBLY,PEDAL,ADV WIRELESS                                 | 67.67              | 82.56                |
| 000-16375-001 |  DEPTH COLLAR ASSEMBLY,CAM LOCK                                     | 20.89              | 25.49                |
| 000-16397-001 |  MOUNT CONTROLLER/UI BOARD KIT,RECON                                | 346.80             | 423.10               |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16372-001 |  LOWER UNIT,RECON,24/36,FW              | 1086.35            | 1325.35              |
| 000-16376-001 | COLUMN KIT,RECON,48",FW  | 250.69             | 305.84               |
| 000-16377-001 | COLUMN KIT,RECON,54",FW  | 250.69             | 305.84               |
| 000-16378-001 | COLUMN KIT,RECON,60",FW  | 250.69             | 305.84               |
| 000-16379-001 | COLUMN KIT,RECON,72",FW  | 292.47             | 356.81               |
| 000-16384-001 |  TRANSMISSION ASSEMBLY,RECON,FW         | 396.93             | 484.25               |
| 000-16389-001 |  SIDEPLATE KIT,RECON,LFW                | 81.89              | 99.91                |
| 000-16393-001 |  UI COVER,RECON,FW                      | 66.85              | 81.56                |
| 000-16395-001 |  MOUNT CRADLE KIT,RECON,FW              | 58.50              | 71.37                |
| 000-16399-001 |  MOUNT ASSEMBLY,MECH,SERVICE,RECON,FW | 667.69             | 814.58               |
| 000-16401-001 |  HEAD COVER GPS PCB ASSY,RECON,FW     | 357.45             | 436.09               |
| 000-16403-001 |  HEAD BASE AND WEDGE KIT FW           | 31.84              | 38.84                |
| 000-16373-001 | LOWER UNIT,RECON,24/36,SW  | 1169.92            | 1427.30              |
| 000-16380-001 | COLUMN KIT,RECON,54",SW  | 250.69             | 305.84               |
| 000-16381-001 | COLUMN KIT,RECON,60",SW  | 271.58             | 331.33               |
| 000-16382-001 | COLUMN KIT,RECON,72",SW  | 313.36             | 382.30               |
| 000-16383-001 |  TRANSMISSION ASSEMBLY,RECON,SW       | 417.82             | 509.74               |
| 000-16390-001 |  SIDEPLATE KIT,RECON,LSW              | 93.59              | 114.18               |
| 000-16394-001 |  UI COVER,RECON,SW                    | 66.85              | 81.56                |
| 000-16396-001 |  MOUNT CRADLE KIT,RECON,SW            | 58.50              | 71.37                |
| 000-16400-001 |  MOUNT ASSEMBLY,MECH,SERVICE,RECON,SW | 675.88             | 824.57               |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16402-001 |  HEAD COVER GPS PCB ASSY,RECON,SW | 357.45             | 436.09               |
| 000-16404-001 |  HEAD BASE AND WEDGE KIT SW       | 31.84              | 38.84                |
| 000-16408-001 |  BATT DOOR,JOYSTICK REMOTE        | 15.92              | 19.42                |
| 000-16374-001 |  NOSECONE,NOXD,RECON,WHITE        | 50.13              | 61.16                |

## GHOST™

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16475-001 |  GHOST X 47" Trolling motor. Enhanced power and quite, more efficient motor. 47" Shaft length, with Active Imaging 3-in-1 Nosecone, and foot pedal. | 4299.00         | 5244.78           |
| 000-14937-001 |  Ghost® freshwater trolling motor 47", HDI Transducer, Compass  | 3238.84         | 3951.39           |
| 000-14938-001 |  Ghost™ freshwater trolling motor 52", HDI Transducer, Compass  | 3511.57         | 4284.12           |
| 000-15480-001 |  Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote   | 3710.74         | 4527.11           |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14900-001 |  ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™  | 449.00          | 547.78            |
| 000-15301-002 | MISC. HARDWARE, MOUNT KIT   | 19.99           | 24.39             |
| 000-16508-001 |  Ghost X Indicator Upgrade Kit: The Ghost X Indicator Kit can be used as a direct replacement for existing indicators on Ghost X or as an upgrade for Ghost Trolling Motors.  | 199.00          | 242.78            |
| 000-15237-001 | GHOST Propeller kit.  | 54.00           | 65.88             |
| 000-15274-001 | GHOST nosecone. No Transducer   | 53.99           | 65.87             |
| 000-15582-001 |  GHOST Trolling motor compass extension cable, 6 m (20')   | 45.99           | 56.11             |
| 000-15327-001 |  Mini 9-pin to 9-pin Sonar adapter cable   | 49.99           | 60.99             |
| 000-15325-001 |  Replacement trolling motor compass (TMC-1)  | 144.99          | 176.89            |
| 000-15723-001 |  The Prop Shaft Anode for the Lowrance Ghost® & RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water.<br>NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty. | 22.99           | 28.05             |
| 000-15468-001 |  TMR-1: Remote control for the Ghost trolling motor.   | 129.00          | 157.38            |

## Spare Parts

| Part Number   | Description                          | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--------------------------------------|-----------------|-------------------|
| 000-15672-001 | 1x Column, inner shaft, 52"          | 51.99           | 63.43             |
| 000-16507-001 | GHOST/X 47" LOWER UNIT + SHAFT KIT   | 2035.00         | 2482.70           |
| 000-16509-001 | GHOST X INDICATOR ARROW & PULLEY KIT | 39.00           | 47.58             |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-16511-001 | GHOST/X 47" MOUNT KIT,NO SIDE COVERS   | 799.99             | 975.99               |
| 000-15319-001 |  Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS   | 12.99              | 15.85                |
| 000-15301-002 | MISC. HARDWARE,MOUNT KIT   | 19.99              | 24.39                |
| 000-16508-001 |  Ghost X Indicator Upgrade Kit: The Ghost X Indicator Kit can be used as a direct replacement for existing indicators on Ghost X or as an upgrade for Ghost Trolling Motors.  | 199.00             | 242.78               |
| 000-15318-001 | Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS   | 7.99               | 9.75                 |
| 000-16506-001 | GHOST X,47" SERVICE,NO MOUNT   | 4460.00            | 5441.20              |
| 000-15673-001 | 1x Column, inner shaft, 60"  | 58.99              | 71.97                |
| 000-16510-001 | GHOST X HEAD SEAL,COVER KIT  | 110.00             | 134.20               |
| 000-15240-001 | 2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)  | 1425.00            | 1738.50              |
| 000-15235-001 | 360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20   | 2.49               | 3.04                 |
| 000-15314-001 |  Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal | 27.99              | 34.15                |
| 000-15253-001 |  Lowrance label 1x Head decal   | 15.99              | 19.51                |
| 000-15315-001 | Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth  | 43.99              | 53.67                |
| 000-15674-001 | 2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52"/lower unit (pre-assembled)  | 1450.00            | 1769.00              |
| 000-15237-001 | GHOST Propeller kit.   | 54.00              | 65.88                |
| 000-15238-001 |  Propeller hardware kit: 1x M10 Propeller washer 1x M10 Nylock nut  | 8.99               | 10.97                |
| 000-15730-001 | Indicator ring decal kit: 1x Indicator ring decal  | 2.39               | 2.92                 |
| 000-15239-001 | 1x Column, inner shaft, 47"  | 44.99              | 54.89                |
| 000-15675-001 | 2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60"/lower unit (pre-assembled)  | 1499.00            | 1828.78              |
| 000-15310-001 |  GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.   | 18.99              | 23.17                |
| 000-15312-001 |  GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.  | 18.99              | 23.17                |
| 000-15395-001 | Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1   | 68.99              | 84.17                |
| 000-15806-001 | GHOST 47" -TM SERVICE KIT - NO MOUNT   | 2889.99            | 3525.79              |
| 000-15388-001 | Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer  | 101.99             | 124.43               |
| 000-15246-001 | 1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad   | 219.99             | 268.39               |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15311-001 |  GHOSH foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m   | 19.99              | 24.39                |
| 000-15285-001 |  Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS   | 14.99              | 18.29                |
| 000-15313-001 |  GHOSH foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.  | 19.99              | 24.39                |
| 000-15292-001 | Upper extrusion kit with bushing, GHOSH 47": 1x Upper extrusion assembly, GHOSH 47"  | 249.99             | 304.99               |
| 000-15242-001 | Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit   | 65.00              | 79.30                |
| 000-15387-001 | Lower unit rotor assembly: 1x Rotor assembly   | 299.99             | 365.99               |
| 000-15676-001 | Upper extrusion kit, GHOSH GHOSH 52"/GHOSH 60": 1x Upper extrusion assembly, GHOSH GHOSH 52"/GHOSH 60"   | 327.99             | 400.15               |
| 000-15243-001 | Bearing cup: 1x Bearing cup  | 12.99              | 15.85                |
| 000-15320-001 | Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS   | 8.99               | 10.97                |
| 000-15264-002 |  Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx   | 27.99              | 34.15                |
| 000-15250-001 |  Indicator assembly 1x Indicator w/magnet, 1x Indicator ring  | 22.99              | 28.05                |
| 000-15244-001 | Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex   | 23.99              | 29.27                |
| 000-15247-001 | Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm   | 2.49               | 3.04                 |
| 000-15322-001 | Pedal, upper: 1x Upper, pedal  | 33.99              | 41.47                |
| 000-15281-001 |  Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut   | 11.99              | 14.63                |
| 000-15241-001 | Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm   | 6.99               | 8.53                 |
| 000-15271-001 | Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316  | 25.00              | 30.50                |
| 000-15321-001 | Pivot pin: 1x Pivot pin, pedal   | 8.99               | 10.97                |
| 000-15252-001 |  Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4  | 59.99              | 73.19                |
| 000-15298-001 |  Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip  | 21.99              | 26.83                |
| 000-15317-001 |  Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration) | 39.99              | 48.79                |
| 000-15251-001 |  Housing hardware 14x Screw, torx, no. 6 x 3/4  | 9.99               | 12.19                |
| 000-15272-001 | Shaft seal: 1x Seal, shaft   | 5.99               | 7.31                 |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15289-001 | Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"  | 219.99             | 268.39               |
| 000-15668-001 | 1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad   | 207.99             | 253.75               |
| 000-15316-001 | Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft  | 13.99              | 17.07                |
| 000-15669-001 | 1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad   | 211.99             | 258.63               |
| 000-15277-001 | Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm  | 22.99              | 28.05                |
| 000-15677-001 | Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"   | 213.99             | 261.07               |
| 000-15254-001 |  Case seal 1x Seal, case  | 14.99              | 18.29                |
| 000-15255-001 |  GPS PCBA 1x PCB Test Assembly: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)  | 49.00              | 59.78                |
| 000-15293-001 |  Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer | 22.99              | 28.05                |
| 000-15306-001 | Label, battery: 1x Label status panel w/adhesive, pedal  | 8.99               | 10.97                |
| 000-15278-001 | Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap  | 39.99              | 48.79                |
| 000-15309-001 | Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit   | 53.99              | 65.87                |
| 000-15291-001 | Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS  | 14.99              | 18.29                |
| 000-15256-001 |  PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx                         | 175.99             | 214.71               |
| 000-15257-001 |  Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx  | 11.99              | 14.63                |
| 000-15307-001 |  Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper                              | 19.99              | 24.39                |
| 000-15294-001 | Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS   | 15.99              | 19.51                |
| 000-15305-001 | PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8  | 49.00              | 59.78                |
| 000-15830-001 |  ROD,STABILIZER HARDWARE KIT  | 4.99               | 6.09                 |
| 000-15290-001 |  Head adapter kit: 1x Head adapter with bushing   | 119.99             | 146.39               |
| 000-15258-001 |  Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.  | 32.99              | 40.25                |
| 000-15303-001 |  Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR                | 259.99             | 317.19               |
| 000-15259-001 |  12x Screw, M3 x 20, torx   | 9.99               | 12.19                |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15297-001 | Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"  | 17.99           | 21.95             |
| 000-15576-001 | Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml   | 89.00           | 108.58            |
| 000-15678-001 | Latch trigger, GHOST 52"/GHOST 60" 2x Latch trigger, GHOST 52"/GHOST 60"   | 21.84           | 26.64             |
| 000-15249-001 |  1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad   | 299.99          | 365.99            |
| 000-15260-001 |  1x Motor belt  | 7.99            | 9.75              |
| 000-15670-001 |  1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad   | 316.99          | 386.73            |
| 000-15261-001 |  1x Indicator belt  | 6.99            | 8.53              |
| 000-15296-001 | Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch  | 15.99           | 19.51             |
| 000-15671-001 |  1x Cable, head to pedal, GHOST GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad   | 369.99          | 451.39            |
| 000-15262-001 |  1x Indicator pulley assembly   | 19.00           | 23.18             |
| 000-15295-001 |  Front latch block: 1x Front latch block  | 16.99           | 20.73             |
| 000-15263-001 |  1x Idler, gear, pulley, assembly   | 34.99           | 42.69             |
| 000-15581-001 |  Lift assist crutch: 1x Lift assist crutch  | 9.99            | 12.19             |
| 000-15304-001 | Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal  | 24.99           | 30.49             |
| 000-15323-001 | Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex   | 35.99           | 43.91             |
| 000-15288-001 |  Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS                                | 139.99          | 170.79            |
| 000-15265-001 |  Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt | 235.99          | 287.91            |
| 000-15679-001 |  Lift assist kit, GHOST 52"/GHOST 60": 1x Gas spring, compression/traction, GHOST 52"/60", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS                         | 147.99          | 180.55            |
| 000-15308-001 |  Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss  | 65.99           | 80.51             |
| 000-15266-001 |  Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring  | 1.99            | 2.43              |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15267-001 | Thermal pad, steering motor: 1x Motor thermal pad  | 6.99               | 8.53                 |
| 000-15284-001 |  Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"  | 12.99              | 15.85                |
| 000-15324-001 |  Miscellaneous hardware kit for GHOST Trolling motor foot pedal   | 19.99              | 24.39                |
| 000-15273-001 | Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5"  | 9.00               | 10.98                |
| 000-15269-001 | Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad  | 8.99               | 10.97                |
| 000-15680-001 |  Wear bearing kit, GHOST 52"/GHOST 60": 2x Wear bearing, GHOST 52"/GHOST 60"  | 21.99              | 26.83                |
| 000-15286-001 |  Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension  | 12.99              | 15.85                |
| 000-15268-001 |  Thermal pad, PCBA: 1x PCBA thermal pad   | 4.99               | 6.09                 |
| 000-15270-001 |  Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx  | 35.99              | 43.91                |
| 000-15287-001 |  Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot   | 39.99              | 48.79                |
| 000-15248-001 |  Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx  | 9.99               | 12.19                |
| 000-15299-001 | Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2", 2x Washer, M10, 316SS, 2x Jam nut, M10  | 24.99              | 30.49                |
| 000-15279-001 | Stabilizer, rubber foot: 1x Foot, stabilizer   | 2.99               | 3.65                 |
| 000-15300-001 | Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"  | 269.99             | 329.39               |
| 000-15681-001 | Lower extrusion kit, GHOST 52"/GHOST 60": 1x Lower extrusion, with bushing, , GHOST 52"/GHOST 60"  | 336.99             | 411.13               |
| 000-15283-001 |  Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS   | 44.99              | 54.89                |
| 000-15682-001 |  Side plate kit, GHOST 52"/GHOST 60": 1x Cover mount RH, GHOST 52"/GHOST 60" 1x Cover mount LH, GHOST 52"/GHOST 60" 6x Screw, SHCS M4 x 0.7 x14, SS | 67.99              | 82.95                |
| 000-15282-001 |  Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8   | 19.00              | 23.18                |
| 000-15476-001 | Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing   | 14.99              | 18.29                |
| 000-15479-001 | Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2   | 12.99              | 15.85                |
| 000-15478-001 | Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts   | 23.99              | 29.27                |
| 000-15477-001 | Lower extrusion bushing kit 4x 1/2" Shaft bushing  | 10.99              | 13.41                |
| 000-15829-001 |  GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16", Pan, PH, SS   | 11.99              | 14.63                |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-15828-001 |  TIE DOWN STRAP KIT            | 13.99              | 17.07                |
| 000-15831-001 |  GAS SPRING CLEVIS BRACKET KIT | 13.99              | 17.07                |

## ACCESSORIES

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14900-001 |  ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™  | 449.00          | 547.78            |
| 000-15301-002 | MISC. HARDWARE, MOUNT KIT   | 19.99           | 24.39             |
| 000-16508-001 |  Ghost X Indicator Upgrade Kit: The Ghost X Indicator Kit can be used as a direct replacement for existing indicators on Ghost X or as an upgrade for Ghost Trolling Motors. | 199.00          | 242.78            |
| 000-15275-001 |  HDI Nose cone transducer for GHOST™: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz. Not compatible with RECON™                          | 159.99          | 195.19            |
| 000-15237-001 | GHOST Propeller kit.  | 54.00           | 65.88             |
| 000-15274-001 | GHOST nosecone. No Transducer   | 53.99           | 65.87             |
| 000-15582-001 |  GHOST Trolling motor compass extension cable, 6 m (20')   | 45.99           | 56.11             |
| 000-15327-001 |  Mini 9-pin to 9-pin Sonar adapter cable  | 49.99           | 60.99             |
| 000-15325-001 |  Replacement trolling motor compass (TMC-1)  | 144.99          | 176.89            |
| 000-15468-001 |  TMR-1: Remote control for the Ghost trolling motor.   | 129.00          | 157.38            |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15582-001 |  GHOST Trolling motor compass extension cable, 6 m (20') | 45.99           | 56.11             |

## Mount parts

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16511-001 | GHOST/X 47" MOUNT KIT,NO SIDE COVERS  | 799.99          | 975.99            |
| 000-15280-002 |  PULL CABLE KIT V2: Kit includes: 1x Braided stainless pull cable, 1x Handle bottom, 1x Handle top, 1x rectangular washer, 1x Pull cable barrel, 2x Hex bolts, M4.0 x 0.7 x 6. | 34.99           | 42.69             |
| 000-15631-001 | GHOST 47" MOUNT ASSEMBLY KIT  | 799.99          | 975.99            |
| 000-15809-001 | GHOST 52/60" MOUNT ASSEMBLY KIT   | 849.99          | 1036.99           |
| 000-15914-001 |  GHOST MOUNT HARDWARE KIT  | 17.99           | 21.95             |
| 000-15285-001 |  Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS  | 14.99           | 18.29             |
| 000-15292-001 | Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"   | 249.99          | 304.99            |
| 000-15676-001 | Upper extrusion kit, GHOST GHOST 52"/GHOST 60": 1x Upper extrusion assembly, GHOST GHOST 52"/GHOST 60"  | 327.99          | 400.15            |
| 000-15281-001 |  Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut  | 11.99           | 14.63             |
| 000-15298-001 |  Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip   | 21.99           | 26.83             |
| 000-15289-001 | Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"   | 219.99          | 268.39            |
| 000-15677-001 | Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"  | 213.99          | 261.07            |
| 000-15293-001 |  Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer                      | 22.99           | 28.05             |
| 000-15291-001 | Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS   | 14.99           | 18.29             |
| 000-15294-001 | Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS  | 15.99           | 19.51             |
| 000-15290-001 |  Head adapter kit: 1x Head adapter with bushing  | 119.99          | 146.39            |
| 000-15297-001 | Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"   | 17.99           | 21.95             |
| 000-15678-001 | Latch trigger, GHOST 52"/GHOST 60" 2x Latch trigger, GHOST 52"/GHOST 60"  | 21.84           | 26.64             |
| 000-15296-001 | Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch   | 15.99           | 19.51             |
| 000-15295-001 |  Front latch block: 1x Front latch block   | 16.99           | 20.73             |
| 000-15581-001 |  Lift assist crutch: 1x Lift assist crutch   | 9.99            | 12.19             |
| 000-15288-001 |  Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS         | 139.99          | 170.79            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15679-001 |  Lift assist kit, GHOST 52"/GHOST 60": 1x Gas spring, compression/traction, GHOST 52"/60", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS | 147.99          | 180.55            |
| 000-15284-001 |  Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"  | 12.99           | 15.85             |
| 000-15680-001 |  Wear bearing kit, GHOST 52"/GHOST 60": 2x Wear bearing, GHOST 52"/GHOST 60"  | 21.99           | 26.83             |
| 000-15286-001 |  Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension  | 12.99           | 15.85             |
| 000-15287-001 |  Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot   | 39.99           | 48.79             |
| 000-15299-001 | Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2", 2x Washer, M10, 316SS, 2x Jam nut, M10  | 24.99           | 30.49             |
| 000-15300-001 | Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"  | 269.99          | 329.39            |
| 000-15681-001 | Lower extrusion kit, GHOST 52"/GHOST 60": 1x Lower extrusion, with bushing, , GHOST 52"/GHOST 60"  | 336.99          | 411.13            |
| 000-15283-001 |  Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS   | 44.99           | 54.89             |
| 000-15682-001 |  Side plate kit, GHOST 52"/GHOST 60": 1x Cover mount RH, GHOST 52"/GHOST 60" 1x Cover mount LH, GHOST 52"/GHOST 60" 6x Screw, SHCS M4 x 0.7 x14, SS                       | 67.99           | 82.95             |
| 000-15282-001 |  Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8   | 19.00           | 23.18             |
| 000-15476-001 | Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing   | 14.99           | 18.29             |
| 000-15479-001 | Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2   | 12.99           | 15.85             |
| 000-15478-001 | Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts   | 23.99           | 29.27             |
| 000-15477-001 | Lower extrusion bushing kit 4x 1/2" Shaft bushing  | 10.99           | 13.41             |
| 000-15829-001 |  GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16", Pan, PH, SS   | 11.99           | 14.63             |
| 000-15828-001 |  TIE DOWN STRAP KIT   | 13.99           | 17.07             |
| 000-15831-001 |  GAS SPRING CLEVIS BRACKET KIT  | 13.99           | 17.07             |

## Spare Parts

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15829-001 |  GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16", Pan, PH, SS | 11.99           | 14.63             |

## Head parts

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16509-001 | GHOST X INDICATOR ARROW & PULLEY KIT   | 39.00           | 47.58             |
| 000-16510-001 | GHOST X HEAD SEAL,COVER KIT  | 110.00          | 134.20            |
| 000-15253-001 |  Lowrance label 1x Head decal   | 15.99           | 19.51             |
| 000-15730-001 | Indicator ring decal kit: 1x Indicator ring decal  | 2.39            | 2.92              |
| 000-15806-001 | GHOST 47" -TM SERVICE KIT - NO MOUNT   | 2889.99         | 3525.79           |
| 000-15810-001 | GHOST 52" -TM SERVICE KIT - NO MOUNT   | 2899.99         | 3537.99           |
| 000-15811-001 | GHOST 60" -TM SERVICE KIT - NO MOUNT   | 2959.99         | 3611.19           |
| 000-15264-002 |  Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx  | 27.99           | 34.15             |
| 000-15250-001 |  Indicator assembly 1x Indicator w/magnet, 1x Indicator ring  | 22.99           | 28.05             |
| 000-15252-001 |  Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4 | 59.99           | 73.19             |
| 000-15251-001 |  Housing hardware 14x Screw, torx, no. 6 x 3/4  | 9.99            | 12.19             |
| 000-15254-001 |  Case seal 1x Seal, case  | 14.99           | 18.29             |
| 000-15255-001 |  GPS PCBA 1x PCB Test Assembly: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)                | 49.00           | 59.78             |
| 000-15256-001 |  PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx | 175.99          | 214.71            |
| 000-15257-001 |  Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx  | 11.99           | 14.63             |
| 000-15258-001 |  Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.                                  | 32.99           | 40.25             |
| 000-15259-001 |  12x Screw, M3 x 20, torx   | 9.99            | 12.19             |
| 000-15260-001 |  1x Motor belt  | 7.99            | 9.75              |
| 000-15261-001 |  1x Indicator belt  | 6.99            | 8.53              |
| 000-15262-001 |  1x Indicator pulley assembly   | 19.00           | 23.18             |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15263-001 |  1x Idler, gear, pulley, assembly   | 34.99              | 42.69                |
| 000-15265-001 |  Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt | 235.99             | 287.91               |
| 000-15266-001 |  Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring  | 1.99               | 2.43                 |
| 000-15267-001 | Thermal pad, steering motor: 1x Motor thermal pad  | 6.99               | 8.53                 |
| 000-15269-001 | Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad  | 8.99               | 10.97                |
| 000-15268-001 |  Thermal pad, PCBA: 1x PCBA thermal pad   | 4.99               | 6.09                 |
| 000-15270-001 |  Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx  | 35.99              | 43.91                |
| 000-15248-001 |  Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx  | 9.99               | 12.19                |
| 000-15279-001 | Stabilizer, rubber foot: 1x Foot, stabilizer   | 2.99               | 3.65                 |

## Lower unit parts

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16507-001 | GHOST/X 47" LOWER UNIT + SHAFT KIT  | 2035.00         | 2482.70           |
| 000-16506-001 | GHOST X,47" SERVICE,NO MOUNT  | 4460.00         | 5441.20           |
| 000-15240-001 | 2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)   | 1425.00         | 1738.50           |
| 000-15674-001 | 2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52"/lower unit (pre-assembled)   | 1450.00         | 1769.00           |
| 000-15675-001 | 2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60"/lower unit (pre-assembled)   | 1499.00         | 1828.78           |
| 000-15395-001 | Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1  | 68.99           | 84.17             |
| 000-15388-001 | Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer   | 101.99          | 124.43            |
| 000-15723-001 |  <p>The Prop Shaft Anode for the Lowrance Ghost® &amp; RECON trolling motors allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed over the existing propeller nut, on the back of the propeller. The anode prevents corrosion that could result from using the trolling motor in brackish water.<br/>NOTE: Using the Ghost Trolling Motor in saltwater WILL void the warranty.</p> | 22.99           | 28.05             |
| 000-15387-001 | Lower unit rotor assembly: 1x Rotor assembly  | 299.99          | 365.99            |
| 000-15247-001 | Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm  | 2.49            | 3.04              |
| 000-15241-001 | Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm  | 6.99            | 8.53              |
| 000-15668-001 | 1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad  | 207.99          | 253.75            |
| 000-15669-001 | 1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad  | 211.99          | 258.63            |

## Pedal parts

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15319-001 |  Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS   | 12.99           | 15.85             |
| 000-15318-001 | Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS   | 7.99            | 9.75              |
| 000-15314-001 |  Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal | 27.99           | 34.15             |
| 000-15315-001 | Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth  | 43.99           | 53.67             |
| 000-15310-001 |  GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.   | 18.99           | 23.17             |
| 000-15312-001 |  GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.  | 18.99           | 23.17             |
| 000-15311-001 |  GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m   | 19.99           | 24.39             |
| 000-15313-001 |  GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.  | 19.99           | 24.39             |
| 000-15320-001 | Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS   | 8.99            | 10.97             |
| 000-15322-001 | Pedal, upper: 1x Upper, pedal  | 33.99           | 41.47             |
| 000-15321-001 | Pivot pin: 1x Pivot pin, pedal   | 8.99            | 10.97             |
| 000-15317-001 |  Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)                                   | 39.99           | 48.79             |
| 000-15316-001 | Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft  | 13.99           | 17.07             |
| 000-15306-001 | Label, battery: 1x Label status panel w/adhesive, pedal  | 8.99            | 10.97             |
| 000-15309-001 | Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit   | 53.99           | 65.87             |
| 000-15307-001 |  Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper  | 19.99           | 24.39             |
| 000-15305-001 | PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8  | 49.00           | 59.78             |
| 000-15303-001 |  Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR  | 259.99          | 317.19            |
| 000-15249-001 |  1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad   | 299.99          | 365.99            |
| 000-15670-001 |  1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad   | 316.99          | 386.73            |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15671-001 |  1x Cable, head to pedal, GHOST GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad | 369.99             | 451.39               |
| 000-15304-001 | Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal  | 24.99              | 30.49                |
| 000-15323-001 | Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex   | 35.99              | 43.91                |
| 000-15308-001 |  Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss                                  | 65.99              | 80.51                |
| 000-15324-001 |  Miscellaneous hardware kit for GHOST Trolling motor foot pedal   | 19.99              | 24.39                |
| 000-15273-001 | Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5"  | 9.00               | 10.98                |

## Shaft parts

## Main Products

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15672-001 | 1x Column, inner shaft, 52"  | 51.99              | 63.43                |
| 000-15673-001 | 1x Column, inner shaft, 60"  | 58.99              | 71.97                |
| 000-15235-001 | 360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20   | 2.49               | 3.04                 |
| 000-15238-001 |  Missing Image: Propeller hardware kit: 1x M10 Propeller washer 1x M10 Nylock nut | 8.99               | 10.97                |
| 000-15239-001 | 1x Column, inner shaft, 47"  | 44.99              | 54.89                |
| 000-15245-001 | OUTER SHAFT  | 31.99              | 39.03                |
| 000-15246-001 | 1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad     | 219.99             | 268.39               |
| 000-15242-001 | Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit   | 65.00              | 79.30                |
| 000-15243-001 | Bearing cup: 1x Bearing cup  | 12.99              | 15.85                |
| 000-15244-001 | Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex   | 23.99              | 29.27                |
| 000-15271-001 | Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316  | 25.00              | 30.50                |
| 000-15272-001 | Shaft seal: 1x Seal, shaft   | 5.99               | 7.31                 |
| 000-15277-001 | Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm                                    | 22.99              | 28.05                |
| 000-15278-001 | Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap  | 39.99              | 48.79                |
| 000-15807-001 | COLLAR CLAMP KIT V.1.1   | 35.99              | 43.91                |
| 000-15808-001 |  360 HEAD ASSEMBLY V.1.1  | 229.99             | 280.59               |
| 000-15830-001 |  ROD,STABILIZER HARDWARE KIT  | 4.99               | 6.09                 |
| 000-15576-001 | Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml   | 89.00              | 108.58               |

## Tools

## Main Products

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-15577-001 | TROLLING MOTOR SERVICE FIXTURE  | 679.00             | 828.38               |
| 000-15579-001 |  M32 Hollow tap for composite shaft replacement. | 68.99              | 84.17                |
| 000-15578-001 | 5/8"-18 Slide hammer adapter  | 12.99              | 15.85                |
| 000-15580-001 | 10lb. weight for shaft bearing pre-load   | 49.00              | 59.78                |

## ActiveTarget™

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16488-001 |  ActiveTarget® 2 XL kit Includes, ActiveTarget® 2 module, ActiveTarget® 2 XL transducer 7.62 m (25 ft) cable, shaft mount, Ethernet cable, power cable. | 1899.00         | 2316.78           |
| 000-16489-001 |  ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.   | 1279.99         | 1561.59           |
| 000-16490-001 |  ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.  | 1279.99         | 1561.59           |
| 000-16491-001 |  Shaft mount bracket. ActiveTarget® 2 XL transducer   | 171.00          | 208.62            |
| 000-16501-001 |  ActiveTarget® 2 XL RECON™ Mount.   | 286.00          | 348.92            |
| 000-15959-001 |  ActiveTarget® 2 kit Includes ActiveTarget® 2 Module, Transducer with 7.62 m (25 ft) cable, and Mounts   | 1899.00         | 2316.78           |
| 000-15961-001 |  ActiveTarget® 2 Module Only  | 999.00          | 1218.78           |
| 000-15962-001 |  ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable  | 1299.00         | 1584.78           |
| 000-16502-001 |  ActiveTarget® 2 Shaft Mount.   | 171.00          | 208.62            |
| 000-16503-001 |  RECON™ ActiveTarget® 2 Mounting kit.   | 343.00          | 418.46            |
| 000-16462-001 |  TM ACTIVETARGET 2 MOUNTING KIT   | 234.00          | 285.48            |
| 000-16054-001 |  ActiveTarget® 2 Trolling Motor Shaft Mount   | 75.00           | 91.50             |
| 000-15773-001 |  ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)  | 49.99           | 60.99             |
| 000-15960-001 |  The ActiveTarget® 2 Scout™ Wide Bracket  | 105.00          | 128.10            |
| 000-16069-001 |  Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers  | 99.99           | 121.99            |

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15770-001 |  ActiveTarget trolling motor shaft mounting kit                | 59.00           | 71.98             |
| 000-15771-001 |  ActiveTarget trolling motor mounting kit. Forward / down view | 52.99           | 64.65             |
| 000-15772-001 |  Replacement - ActiveTarget Trolling Motor Scout Mount Kit     | 52.99           | 64.65             |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16489-001 |  ActiveTarget® 2 XL Transducer only with 7.6 m (25 ft) cable.                      | 1279.99         | 1561.59           |
| 000-16490-001 |  ActiveTarget® 2 XL Transducer only with 3m (10 ft) cable.                         | 1279.99         | 1561.59           |
| 000-16501-001 |  ActiveTarget® 2 XL RECON™ Mount.   | 286.00          | 348.92            |
| 000-15962-001 |  ActiveTarget® 2 Transducer only with 7.62 m (25 ft) cable                       | 1299.00         | 1584.78           |
| 000-16502-001 |  ActiveTarget® 2 Shaft Mount.  | 171.00          | 208.62            |
| 000-16503-001 |  RECON™ ActiveTarget® 2 Mounting kit.  | 343.00          | 418.46            |
| 000-16462-001 |  TM ACTIVETARGET 2 MOUNTING KIT  | 234.00          | 285.48            |
| 000-16054-001 |  ActiveTarget® 2 Trolling Motor Shaft Mount                                      | 75.00           | 91.50             |
| 000-15773-001 |  ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)           | 49.99           | 60.99             |
| 000-15960-001 |  The ActiveTarget® 2 Scout™ Wide Bracket   | 105.00          | 128.10            |
| 000-16069-001 |  Extension Cable for ActiveTarget, ActiveTarget 2, ActiveTarget 2 XL transducers | 99.99           | 121.99            |

## Spare Parts

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-16489-001 |  ActiveTarget@ 2 XL Transducer only with 7.6 m (25 ft) cable.  | 1279.99            | 1561.59              |
| 000-16491-001 |  Shaft mount bracket. ActiveTarget@ 2 XL transducer  | 171.00             | 208.62               |
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)  | 56.00              | 68.32                |
| 000-15961-001 |  ActiveTarget@ 2 Module Only   | 999.00             | 1218.78              |
| 000-15962-001 |  ActiveTarget@ 2 Transducer only with 7.62 m (25 ft) cable   | 1299.00            | 1584.78              |
| 000-16054-001 |  ActiveTarget@ 2 Trolling Motor Shaft Mount  | 75.00              | 91.50                |
| 000-15770-001 |  ActiveTarget trolling motor shaft mounting kit   | 59.00              | 71.98                |
| 000-15771-001 |  ActiveTarget trolling motor mounting kit. Forward / down view   | 52.99              | 64.65                |
| 000-15772-001 |  Replacement - ActiveTarget Trolling Motor Scout Mount Kit   | 52.99              | 64.65                |
| 000-00128-001 |  Cavo Alimentazione Simrad (Conn. a 4 Piedini a 4 cavi liberi con ingresso Alimentazione, Controllo bus Alimentazione ed allarme esterno) 2 m (6.5 ft) | 40.00              | 48.80                |

Active Imaging™

Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14489-001 |  ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.  | 361.99          | 441.63            |
| 000-14814-001 |  ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.   | 361.99          | 441.63            |
| 000-14490-001 |  ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.  | 306.99          | 374.53            |
| 000-15813-001 |  ActiveImaging 2-IN-1 Transducer with 83/200 in-hull puck (Depth only) and 9 Pin Y cable.   | 361.99          | 441.63            |
| 000-15812-001 |  ActiveImaging™ 2-in-1 Transducer with 83/200 Skimmer Transducer and Y-Cable  | 361.99          | 441.63            |
| 000-16062-001 |  ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.                                  | 449.00          | 547.78            |
| 000-16060-001 |  ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.   | 499.00          | 608.78            |
| 000-16061-001 |  ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.   | 549.00          | 669.78            |
| 000-16239-001 |  Active Imaging™ HD Thru-Hull (Single) Transducer. Direct connection to HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX require an S3100 or S3100H   | 949.00          | 1157.78           |
| 000-16240-001 |  Active Imaging™ HD Thru-Hull Fish Reveal (Dual) Transducers. Directly compatible with Lowrance HDS® PRO and Simrad NSSevo4. For SideScan FishReveal, an S3100 or S3100H is required. With a S3100 or S3100H module compatible with: Lowrance HDS® LIVE, HDS Carbon, and Elite FS™. Simrad® NSSevo3(S), NSOevo3(S), and NSX   | 1739.00         | 2121.58           |
| 000-16242-001 |  Active Imaging™ HD Thru-Hull (Dual) Transducer PORT  | 999.00          | 1218.78           |
| 000-16241-001 |  Active Imaging™ HD Thru-Hull (Dual) Transducer STARBOARD   | 999.00          | 1218.78           |
| 000-16063-001 |  ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required. | 369.00          | 450.18            |
| 000-16095-001 |  Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers  | 62.00           | 75.64             |
| 000-16094-001 |  Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.   | 69.99           | 85.39             |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16095-001 |  Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers                                      | 62.00           | 75.64             |
| 000-16094-001 |  Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.   | 69.99           | 85.39             |
| 000-12602-001 |  Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.                         | 65.99           | 80.51             |
| 000-00099-006 |  Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation. | 86.99           | 106.13            |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16094-001 |  Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers.                                | 69.99           | 85.39             |
| 000-12603-001 |  Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers. | 65.99           | 80.51             |

## LiveSight™

## Main Products

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-14899-001 |  PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system. | 410.99             | 501.41               |

## Accessories

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-14899-001 |  PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system. | 410.99             | 501.41               |

## Spare Parts

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-14959-001 |  Replacement Mounts for LiveSight Transducer. | 79.99              | 97.59                |

## StructureScan™


## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-12395-001 |  StructureScan® 3D Module and Transom mount Transducer kit.  | 1080.00         | 1317.60           |
| 000-12397-001 |  StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.   | 648.00          | 790.56            |
| 000-16363-001 |  StructureScan 3D Transducer ONLY WITH METAL BRACKET- The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding StructureScan to create a high-resolution view. Cable length 6.0 m (20 ft) | 449.00          | 547.78            |
| 000-12396-001 |  StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)                       | 440.00          | 536.80            |
| 000-14254-001 |  StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.  | 1542.00         | 1881.24           |
| 000-14255-001 |  StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.   | 1542.00         | 1881.24           |
| 000-13559-001 |  StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)  | 1542.00         | 1881.24           |
| 000-13560-001 |  StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)   | 2644.00         | 3225.68           |
| 000-12752-001 |  Transducer Extension Cables for StructureScan® 3D - 10ft (3m)   | 119.00          | 145.18            |
| 000-12568-001 |  TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.   | 362.00          | 441.64            |
| 000-14259-001 |  TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.  | 770.00          | 939.40            |
| 000-14257-001 |  TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.   | 770.00          | 939.40            |
| 000-13522-001 |  TotalScan and StructureScan 3D Plastic Replacement Bracket  | 64.99           | 79.29             |
| 000-10802-001 |  Trasduttore StructureScan HD Skimmer per montaggio specchio di poppa  | 309.99          | 378.19            |
| 000-11459-001 |  Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)  | 969.00          | 1182.18           |
| 000-11460-001 |  Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)   | 1899.00         | 2316.78           |
| 000-12603-001 |  Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.   | 65.99           | 80.51             |
| 000-12602-001 |  Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.  | 65.99           | 80.51             |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-00099-006 |  Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation. | 86.99           | 106.13            |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-11142-001 |  SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.                               | 648.00          | 790.56            |
| 000-0106-72   |  HST-WSBL 83/200kHz Skimmer® per montaggio su specchio di poppa profondità/ temperatura con connettore blu 7 pin   | 76.99           | 93.93             |
| 000-12396-001 |  StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft) | 440.00          | 536.80            |
| 000-0106-77   |  HST-DFSBL 50/200 kHz Skimmer® per montaggio su specchio di poppa profondità/ temperatura con connettore blu 7 pin   | 154.99          | 189.09            |
| 000-14254-001 |  StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.  | 1542.00         | 1881.24           |
| 000-14255-001 |  StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.   | 1542.00         | 1881.24           |
| 000-0127-51   |  ETHEXT-6YL cavo ethernet da 1.8 m (6 ft)  | 38.00           | 46.36             |
| 000-0106-73   |  PD-WBL 83/200 kHz Skimmer® per interno o montaggio su motore traina solo profondità con connettore blu 7 pin  | 90.99           | 111.01            |
| 000-0106-74   |  PDT-WBL 83/200 kHz Skimmer® per installazione su motore trolling con temperatura incorporata con connettore blu   | 98.99           | 120.77            |
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)  | 56.00           | 68.32             |
| 000-13559-001 |  StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)  | 1542.00         | 1881.24           |
| 000-13560-001 |  StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)   | 2644.00         | 3225.68           |
| 000-0127-30   |  ETHEXT-25YL cavo ethernet da 7.7 m (25 ft)  | 79.00           | 96.38             |
| 000-0106-89   |  PDRT-WBL 83/200 kHz SKimmer® per installazione all'interno o su motore trolling con sensore temperatura remoto con connettore blu   | 125.00          | 152.50            |
| 000-0127-37   |  ETHEXT-50YL cavo ethernet da 15.2 m (50 ft)   | 109.00          | 132.98            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-0106-94   |  PTI-WBL - Trasduttore Ghiaccio con connettore blu  | 98.99           | 120.77            |
| 000-12752-001 |  Transducer Extension Cables for StructureScan® 3D - 10ft (3m)  | 119.00          | 145.18            |
| 000-10046-001 |  Cavo Adattatore, 7 pedini BLU a cavi liberi - per BSM-1  | 29.00           | 35.38             |
| 000-11040-001 |  Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.  | 108.90          | 132.86            |
| 000-10976-001 |  HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)    | 144.99          | 176.89            |
| 000-0099-93   |  XT-12BL Cavo prolunga trasduttore blu 7 pin da 12ft  | 48.99           | 59.77             |
| 000-0099-94   |  XT-20BL Cavo prolunga trasduttore blu 7 pin da 20ft  | 48.99           | 59.77             |
| 000-13522-001 |  TotalScan and StructureScan 3D Plastic Replacement Bracket  | 64.99           | 79.29             |
| 000-10977-001 |  HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft) | 284.99          | 347.69            |
| 000-10802-001 |  Trasduttore StructureScan HD Skimmer per montaggio specchio di poppa   | 309.99          | 378.19            |
| 000-11459-001 |  Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)                             | 969.00          | 1182.18           |
| 000-11460-001 |  Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)                  | 1899.00         | 2316.78           |
| 000-12603-001 |  Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.                          | 65.99           | 80.51             |
| 000-12602-001 |  Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.                                     | 65.99           | 80.51             |
| 000-00099-006 |  Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.             | 86.99           | 106.13            |
| 000-13581-001 |  Fairing Block only for StructureScan 3D Through-Hull transducers.  | 108.99          | 132.97            |
| 000-10874-001 |  LSS-HD Staffa Montaggio Trasduttore Skimmer  | 65.99           | 80.51             |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-10978-001 |  HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer) | 25.99           | 31.71             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-12396-001 |  StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft) | 440.00          | 536.80            |
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)  | 56.00           | 68.32             |
| 000-14256-001 |  Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.  | 108.99          | 132.97            |
| 000-14260-001 |  TotalScan™ Through-Hull Transducer Fairing Block Only   | 109.00          | 132.98            |
| 000-10802-001 |  Trasduttore StructureScan HD Skimmer per montaggio specchio di poppa  | 309.99          | 378.19            |
| 000-12603-001 |  Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.  | 65.99           | 80.51             |
| 000-13581-001 |  Fairing Block only for StructureScan 3D Through-Hull transducers.   | 108.99          | 132.97            |
| 000-10874-001 |  LSS-HD Staffa Montaggio Trasduttore Skimmer   | 65.99           | 80.51             |
| 000-00128-001 |  Cavo Alimentazione Simrad (Conn. a 4 Piedini a 4 cavi liberi con ingresso Alimentazione, Controllo bus Alimentazione ed allarme esterno) 2 m (6.5 ft)   | 40.00           | 48.80             |

XSONIC Transducers

Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15918-002 |  S3100H High-performance sonar module with HEAVE compensation. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers. MFDs will need compatible software. | 899.00          | 1096.78           |
| 000-13260-001 |  S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.                                      | 1621.00         | 1977.62           |
| 000-12571-001 |  Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.   | 45.00           | 54.90             |
| 000-13977-001 |  Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.  | 39.00           | 47.58             |
| 000-15880-001 |  XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise   | 176.67          | 215.54            |
| 000-13907-001 |  Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.  | 569.00          | 694.18            |
| 000-13906-001 |  Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.   | 568.99          | 694.17            |
| 000-13905-001 |  Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.  | 568.99          | 694.17            |
| 000-13946-001 |  B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)   | 355.78          | 434.05            |
| 000-16185-001 |  B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.   | 373.16          | 455.26            |
| 000-13784-001 |  SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.   | 476.85          | 581.76            |
| 000-16184-001 |  B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6 ft) cable.  | 373.16          | 455.26            |
| 000-16186-001 |  B60 (12°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 373.16          | 455.26            |
| 000-13785-001 |  SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 473.26          | 577.38            |
| 000-16188-001 |  B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 373.16          | 455.26            |
| 000-13786-001 |  SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 473.26          | 577.38            |

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16187-001 |  B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6ft) cable. Boatbuilder only. | 373.16          | 455.26            |
| 000-16189-001 |  B75H (0°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                     | 924.96          | 1128.45           |
| 000-13911-001 |  SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                | 1025.93         | 1251.63           |
| 000-16190-001 |  B75H (12°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                    | 924.96          | 1128.45           |
| 000-13912-001 |  SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                | 1025.93         | 1251.63           |
| 000-16191-001 |  B75H (20°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                    | 924.96          | 1128.45           |
| 000-13913-001 |  SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                | 1025.93         | 1251.63           |
| 000-16192-001 |  B75M (0°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                   | 965.14          | 1177.47           |
| 000-13908-001 |  SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.              | 1070.42         | 1305.91           |
| 000-16193-001 |  B75M (12°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                  | 965.14          | 1177.47           |
| 000-13909-001 |  SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.              | 1070.42         | 1305.91           |
| 000-16194-001 |  B75M (20°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                  | 965.14          | 1177.47           |
| 000-13910-001 |  SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.              | 1070.42         | 1305.91           |
| 000-13942-001 |  P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)   | 198.08          | 241.66            |
| 000-13922-001 |  B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                                  | 554.88          | 676.95            |
| 000-13921-001 |  B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                                  | 554.88          | 676.95            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-13920-001 |  B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                           | 554.88          | 676.95            |
| 000-13918-001 |  SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable. | 1467.16         | 1789.94           |
| 000-13917-001 |  SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable. | 1467.16         | 1789.94           |
| 000-13916-001 |  SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 1467.16         | 1789.94           |
| 000-16196-001 |  B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                | 1680.19         | 2049.83           |
| 000-13780-001 |  SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.           | 2011.11         | 2453.55           |
| 000-16195-001 |  B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.               | 1680.19         | 2049.83           |
| 000-16198-001 |  B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.             | 1680.19         | 2049.83           |
| 000-13781-001 |  SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.         | 2011.11         | 2453.55           |
| 000-16197-001 |  B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.             | 1680.19         | 2049.83           |
| 000-16200-001 |  B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.             | 1800.20         | 2196.24           |
| 000-13782-001 |  SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.         | 2011.11         | 2453.55           |
| 000-16199-001 |  B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.             | 1800.20         | 2196.24           |
| 000-16202-001 |  B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                   | 1420.62         | 1733.16           |
| 000-13777-001 |  SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.              | 1779.70         | 2171.23           |
| 000-16201-001 |  B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.                   | 1420.62         | 1733.16           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16203-001 |  B175M (12°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.  | 1420.62         | 1733.16           |
| 000-13778-001 |  SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.  | 1779.70         | 2171.23           |
| 000-16205-001 |  B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.  | 1566.86         | 1911.57           |
| 000-13779-001 |  SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.  | 1779.70         | 2171.23           |
| 000-16204-001 |  B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.  | 1566.86         | 1911.57           |
| 000-16206-001 |  B175L (0°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.  | 1762.02         | 2149.66           |
| 000-13774-001 |  SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 2197.40         | 2680.83           |
| 000-16207-001 |  B175L (12°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 1762.02         | 2149.66           |
| 000-13775-001 |  SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 2197.40         | 2680.83           |
| 000-16208-001 |  B175L (20°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 1762.02         | 2149.66           |
| 000-13776-001 |  SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 2197.40         | 2680.83           |
| 000-13964-001 |  B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.   | 1096.80         | 1338.10           |
| 000-13783-001 |  SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.                               | 1885.81         | 2300.69           |
| 000-13914-001 |  M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.  | 1327.03         | 1618.98           |
| 000-16370-001 |  Airmar B65LH CHIRP Transducer with DUAL 9-pin connectors. 10 m (33 ft) cable.  | 2371.73         | 2893.51           |
| 000-13771-001 |  B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.  | 2658.52         | 3243.39           |
| 000-13940-001 |  PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required. | 2833.02         | 3456.28           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-13772-001 |  CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required. | 2529.74         | 3086.28           |
| 000-14561-001 |  B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.  | 1939.96         | 2366.75           |
| 000-13915-001 |  P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.   | 194.35          | 237.11            |
| 000-13773-001 |  R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.               | 6074.25         | 7410.59           |
| 000-13941-001 |  CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.              | 6375.96         | 7778.67           |
| 000-14804-001 |  B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.         | 839.65          | 1024.37           |
| 000-13919-001 |  P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.  | 190.75          | 232.72            |
| 000-13944-001 |  TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.   | 402.55          | 491.11            |
| 000-15482-001 |  TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.   | 696.66          | 849.93            |
| 000-13998-001 |  TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.   | 1305.00         | 1592.10           |
| 000-13997-001 |  TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.   | 1579.40         | 1926.87           |
| 000-16371-001 |  Airmar TM265LH CHIRP Transducer with DUAL 9-pin blue connectors. 10 m (33 ft) cable.   | 1950.34         | 2379.41           |
| 000-13904-001 |  TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.   | 1375.83         | 1678.51           |
| 000-13770-001 |  TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.   | 2391.15         | 2917.20           |
| 000-13262-001 |  Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.  | 499.00          | 608.78            |


| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14884-001 |  High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector | 91.99           | 112.23            |
| 000-14885-001 |  9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector              | 155.99          | 190.31            |
| 000-14886-001 |  9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.                        | 91.99           | 112.23            |
| 000-14887-001 |  9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp | 91.99           | 112.23            |
| 000-14888-001 |  9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp                                   | 100.99          | 123.21            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14489-001 |  ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.              | 361.99          | 441.63            |
| 000-13313-001 |  Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.   | 32.99           | 40.25             |
| 000-16295-001 |  Transducer, Network cable pulling tools  | 24.99           | 30.49             |
| 000-12571-001 |  Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor. | 45.00           | 54.90             |
| 000-13977-001 |  Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.                | 39.00           | 47.58             |
| 000-0106-73   |  PD-WBL 83/200 kHz Skimmer® per interno o montaggio su motore traina solo profondità con connettore blu 7 pin   | 90.99           | 111.01            |
| 000-15880-001 |  XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise   | 176.67          | 215.54            |
| 000-0106-74   |  PDT-WBL 83/200 kHz Skimmer® per installazione su motore trolling con temperatura incorporata con connettore blu  | 98.99           | 120.77            |
| 000-13907-001 |  Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.  | 569.00          | 694.18            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16062-001 |  ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO, or to an S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.                                  | 449.00          | 547.78            |
| 000-16060-001 |  ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.   | 499.00          | 608.78            |
| 000-13906-001 |  Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.  | 568.99          | 694.17            |
| 000-0106-89   |  PDRT-WBL 83/200 kHz SKimmer® per installazione all'interno o su motore trolling con sensore temperatura remoto con connettore blu  | 125.00          | 152.50            |
| 000-13905-001 |  Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.  | 568.99          | 694.17            |
| 000-16061-001 |  ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.   | 549.00          | 669.78            |
| 000-13946-001 |  B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)   | 355.78          | 434.05            |
| 000-0099-95   |  TS-1BL Sensore temperatura - connettore Blu (non collegabile in rete)  | 85.00           | 103.70            |
| 000-13784-001 |  SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.   | 476.85          | 581.76            |
| 000-16063-001 |  ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector.<br>Compatibility: Direct connect to Simrad NSS4, Lowrance HDS PRO. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS4, NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required. | 369.00          | 450.18            |
| 000-13785-001 |  SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 473.26          | 577.38            |
| 000-13786-001 |  SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 473.26          | 577.38            |
| 000-00099-006 |  Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.   | 86.99           | 106.13            |
| 000-13911-001 |  SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.   | 1025.93         | 1251.63           |
| 000-13912-001 |  SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.   | 1025.93         | 1251.63           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-13913-001 |  SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.         | 1025.93         | 1251.63           |
| 000-13908-001 |  SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.         | 1070.42         | 1305.91           |
| 000-13909-001 |  SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.         | 1070.42         | 1305.91           |
| 000-13910-001 |  SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.         | 1070.42         | 1305.91           |
| 000-13942-001 |  P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)  | 198.08          | 241.66            |
| 000-13922-001 |  B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                             | 554.88          | 676.95            |
| 000-13921-001 |  B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                            | 554.88          | 676.95            |
| 000-13920-001 |  B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.                           | 554.88          | 676.95            |
| 000-13918-001 |  SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable. | 1467.16         | 1789.94           |
| 000-13917-001 |  SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable. | 1467.16         | 1789.94           |
| 000-13916-001 |  SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.  | 1467.16         | 1789.94           |
| 000-13780-001 |  SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.           | 2011.11         | 2453.55           |
| 000-13781-001 |  SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.           | 2011.11         | 2453.55           |
| 000-13782-001 |  SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.           | 2011.11         | 2453.55           |
| 000-13777-001 |  SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                | 1779.70         | 2171.23           |
| 000-13778-001 |  SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.                | 1779.70         | 2171.23           |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-13779-001 |  SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.  | 1779.70         | 2171.23           |
| 000-13774-001 |  SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 2197.40         | 2680.83           |
| 000-13775-001 |  SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 2197.40         | 2680.83           |
| 000-13776-001 |  SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.   | 2197.40         | 2680.83           |
| 000-13964-001 |  B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.   | 1096.80         | 1338.10           |
| 000-13783-001 |  SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.                                 | 1885.81         | 2300.69           |
| 000-13914-001 |  M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.  | 1327.03         | 1618.98           |
| 000-13771-001 |  B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.  | 2658.52         | 3243.39           |
| 000-13940-001 |  PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required. | 2833.02         | 3456.28           |
| 000-13772-001 |  CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required. | 2529.74         | 3086.28           |
| 000-14561-001 |  B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.  | 1939.96         | 2366.75           |
| 000-13915-001 |  P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.   | 194.35          | 237.11            |
| 000-13773-001 |  R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.               | 6074.25         | 7410.59           |
| 000-13941-001 |  CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.              | 6375.96         | 7778.67           |
| 000-14804-001 |  B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.         | 839.65          | 1024.37           |
| 000-13919-001 |  P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.   | 190.75          | 232.72            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-13944-001 |  TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.                                   | 402.55          | 491.11            |
| 000-15482-001 |  TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.       | 696.66          | 849.93            |
| 000-13998-001 |  TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.           | 1305.00         | 1592.10           |
| 000-13997-001 |  TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.       | 1579.40         | 1926.87           |
| 000-13904-001 |  TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.               | 1375.83         | 1678.51           |
| 000-13770-001 |  TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable. | 2391.15         | 2917.20           |
| 000-13262-001 |  Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.                | 499.00          | 608.78            |
| 000-14884-001 |  High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector                                     | 91.99           | 112.23            |
| 000-14885-001 |  9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector  | 155.99          | 190.31            |
| 000-14886-001 |  9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.  | 91.99           | 112.23            |
| 000-14887-001 |  9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp                                     | 91.99           | 112.23            |
| 000-14888-001 |  9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp   | 100.99          | 123.21            |
| 000-0051-45   |  TMB-S Staffa di montaggio su motore trolling per trasduttore standard Skimmer®   | 19.99           | 24.39             |
| 000-0051-52   |  Kit a Ventosa - Kit a Ventosa per trasduttori skimmer portatili  | 19.99           | 24.39             |
| 000-10392-001 |  Kit montaggio trasduttore 50/200kHz Skimmer™   | 24.99           | 30.49             |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-0106-98   |  Pacchetto Epoxy 6                        | 10.99              | 13.41                |
| 000-0099-06   | HS-WS-SS Mtg Kit - Kit di montaggio per trasduttori skimmer 83/200 kHz   | 24.99              | 30.49                |
| 000-10606-001 |  MONTAGGIO TRASDUTTORE KAYAK SCUPPER HOLE | 52.99              | 64.65                |

## Spare Parts

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15470-001 | B744VC ACTIVE INSERT - REPLACEMENT   | 309.00             | 376.98               |
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)   | 56.00              | 68.32                |
| 000-10392-001 |  Kit montaggio trasduttore 50/200kHz Skimmer™   | 24.99              | 30.49                |
| 000-00128-001 |  Cavo Alimentazione Simrad (Conn. a 4 Piedini a 4 cavi liberi con ingresso Alimentazione, Controllo bus Alimentazione ed allarme esterno) 2 m (6.5 ft) | 40.00              | 48.80                |

## Blu

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-11142-001 |  SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers. | 648.00          | 790.56            |
| 000-13313-001 |  Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.  | 32.99           | 40.25             |
| 000-0106-72   |  HST-WSBL 83/200kHz Skimmer® per montaggio su specchio di poppa profondità/ temperatura con connettore blu 7 pin   | 76.99           | 93.93             |
| 000-0106-77   |  HST-DFSBL 50/200 kHz Skimmer® per montaggio su specchio di poppa profondità/ temperatura con connettore blu 7 pin   | 154.99          | 189.09            |
| 000-0106-73   |  PD-WBL 83/200 kHz Skimmer® per interno o montaggio su motore traina solo profondità con connettore blu 7 pin  | 90.99           | 111.01            |
| 000-0106-74   |  PDT-WBL 83/200 kHz Skimmer® per installazione su motore trolling con temperatura incorporata con connettore blu  | 98.99           | 120.77            |
| 000-0106-89   |  PDRT-WBL 83/200 kHz SKimmer® per installazione all'interno o su motore trolling con sensore temperatura remoto con connettore blu   | 125.00          | 152.50            |
| 000-0106-94   |  PTI-WBL - Trasduttore Ghiaccio con connettore blu   | 98.99           | 120.77            |
| 000-0099-95   |  TS-1BL Sensore temperatura - connettore Blu (non collegabile in rete)   | 85.00           | 103.70            |
| 000-10046-001 |  Cavo Adattatore, 7 pedini BLU a cavi liberi - per BSM-1   | 29.00           | 35.38             |
| 000-0099-93   |  XT-12BL Cavo prolunga trasduttore blu 7 pin da 12ft   | 48.99           | 59.77             |
| 000-0099-94   |  XT-20BL Cavo prolunga trasduttore blu 7 pin da 20ft   | 48.99           | 59.77             |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-13313-001 |  Connects older 7 pin blue plug transducers to displays with 9pin transducer ports. | 32.99           | 40.25             |
| 000-16295-001 |  Transducer, Network cable pulling tools  | 24.99           | 30.49             |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-12571-001 |  Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor. | 45.00           | 54.90             |
| 000-13977-001 |  Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.                | 39.00           | 47.58             |
| 000-10046-001 |  Cavo Adattatore, 7 pedini BLU a cavi liberi - per BSM-1  | 29.00           | 35.38             |
| 000-0099-93   |  XT-12BL Cavo prolunga trasduttore blu 7 pin da 12ft  | 48.99           | 59.77             |
| 000-0099-94   |  XT-20BL Cavo prolunga trasduttore blu 7 pin da 20ft  | 48.99           | 59.77             |
| 000-00099-006 |  Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.   | 86.99           | 106.13            |
| 000-0106-98   |  Pacchetto Epoxy 6  | 10.99           | 13.41             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)  | 56.00           | 68.32             |
| 000-10392-001 |  Kit montaggio trasduttore 50/200kHz Skimmer™  | 24.99           | 30.49             |
| 000-0099-06   | HS-WS-SS Mtg Kit - Kit di montaggio per trasduttori skimmer 83/200 kHz  | 24.99           | 30.49             |
| 000-00128-001 |  Cavo Alimentazione Simrad (Conn. a 4 Piedini a 4 cavi liberi con ingresso Alimentazione, Controllo bus Alimentazione ed allarme esterno) 2 m (6.5 ft) | 40.00           | 48.80             |

## HDI™

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15640-001 |  HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2) | 116.99          | 142.73            |
| 000-15639-001 |  HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)       | 240.99          | 294.01            |
| 000-14267-001 |  HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing with 2 m ( 6ft) transducer cable.  | 144.99          | 176.89            |
| 000-12570-001 |  HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing. 4.5 m (15 ft) cable   | 143.00          | 174.46            |
| 000-12728-001 |  HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)  | 145.00          | 176.90            |
| 000-12569-001 |  HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable   | 285.00          | 347.70            |
| 000-13889-001 |  HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8m (6ft). Blue Lowrance branded body.   | 144.99          | 176.89            |
| 000-10976-001 |  HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)   | 144.99          | 176.89            |
| 000-10977-001 |  HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)  | 284.99          | 347.69            |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-13313-001 |  Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.  | 32.99           | 40.25             |
| 000-16295-001 |  Transducer, Network cable pulling tools   | 24.99           | 30.49             |
| 000-13977-001 |  Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers. | 39.00           | 47.58             |
| 000-0099-95   |  TS-1BL Sensore temperatura - connettore Blu (non collegabile in rete)   | 85.00           | 103.70            |
| 000-0099-93   |  XT-12BL Cavo prolunga trasduttore blu 7 pin da 12ft   | 48.99           | 59.77             |
| 000-0099-94   |  XT-20BL Cavo prolunga trasduttore blu 7 pin da 20ft   | 48.99           | 59.77             |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-0051-52   |  Kit a Ventosa - Kit a Ventosa per trasduttori skimmer portatili   | 19.99              | 24.39                |
| 000-10606-001 |  MONTAGGIO TRASDUTTORE KAYAK SCUPPER HOLE  | 52.99              | 64.65                |
| 000-10978-001 |  HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)  | 25.99              | 31.71                |
| 000-14414-001 |  8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer | 54.99              | 67.09                |

## Spare Parts

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-10262-001 |  Kit montaggio e contenitore superiore in sostituzione per DSI Skimmer. | 36.99              | 45.13                |

## Uniplug

## Main Products

| Part Number | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|-------------|--|-----------------|-------------------|
| 000-0106-48 |  HST-WSU 83/200kHz trasduttore skimmer con temperatura e 20ft di cavo           | 73.99           | 90.27             |
| 000-0106-69 |  PDRT-WSU - 83/200kHz trasduttore tipo podcon temperatura remota e 20ft di cavo | 85.11           | 103.83            |
| 000-0106-68 |  PTI-WSU - 83/200kHz Trasduttore ghiaccio con cavo 7ft                          | 110.99          | 135.41            |

## Spare Parts

| Part Number | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|-------------|--|-----------------|-------------------|
| 000-0099-06 | HS-WS-SS Mtg Kit - Kit di montaggio per trasduttori skimmer 83/200 kHz | 24.99           | 30.49             |

## DSI™

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-10260-001 |  Trasduttore Skimmer Doppia Frequenza DSI 455/800kHz con temperatura incorporata. Comprende 20 ft di cavo, staffa di montaggio ed hardware. | 129.00          | 157.38            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-0051-52   |  Kit a Ventosa - Kit a Ventosa per trasduttori skimmer portatili  | 19.99           | 24.39             |
| 000-0099-06   | HS-WS-SS Mtg Kit - Kit di montaggio per trasduttori skimmer 83/200 kHz   | 24.99           | 30.49             |
| 000-10261-001 |  Kit di montaggio a baso profilo per motore trolling per trasduttori Skimmer DSI. Comprende montaggio ad aggancio per motore trolling, fascetta in acciaio inox per motore trolling e due fascette. | 25.99           | 31.71             |
| 000-10606-001 |  MONTAGGIO TRASDUTTORE KAYAK SCUPPER HOLE   | 52.99           | 64.65             |

## Cavi

## Main Products

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-16295-001 |  Transducer, Network cable pulling tools | 24.99              | 30.49                |

## Halo

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14543-001 |  HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.  | 2050.00         | 2501.00           |
| 000-14542-001 |  HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far. | 2410.00         | 2940.20           |
| 000-14541-001 |  HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.          | 2700.00         | 3294.00           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-10795-001 |  SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.                                   | 599.00          | 730.78            |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network. | 669.00          | 816.18            |
| 000-14551-001 |  Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.   | 65.00           | 79.30             |
| 000-14548-001 |  Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays             | 119.00          | 145.18            |
| 000-14549-001 |  Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays           | 179.00          | 218.38            |
| 000-14550-001 |  Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays           | 239.00          | 291.58            |

## Spare Parts

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14552-001 |  Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot. | 42.00           | 51.24             |
| 000-14547-001 |  Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays        | 77.00           | 93.94             |

## Autopilot Kits

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-15952-001 |  Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components. | 1319.00         | 1609.18           |
| 000-15951-001 |  NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MKII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.   | 1869.00         | 2280.18           |
| 000-13336-001 |  NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.   | 2379.17         | 2902.58           |
| 000-13335-001 |  NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.   | 1620.83         | 1977.42           |
| 000-13338-001 |  NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.  | 2108.33         | 2572.17           |
| 000-13337-001 |  NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.  | 1354.17         | 1652.08           |
| 000-11749-001 |  Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.                                 | 1649.00         | 2011.78           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-14439-001 |  NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.            | 319.00          | 389.18            |
| 000-12316-001 |  WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.  | 479.00          | 584.38            |
| 000-14268-001 |  Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection. | 27.00           | 32.94             |

## Spare Parts

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-12930-002 |  Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. | 279.00          | 340.38            |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-11770-002 |  PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.  | 659.00          | 803.98            |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-15942-001 |  Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5  | 169.00             | 206.18               |
| 000-13703-001 |  Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.  | 49.00              | 59.78                |
| 000-11769-001 |  NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch. | 729.00             | 889.38               |

## Autopilot Accessories

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-13249-001 |  The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.   | 939.00          | 1145.58           |
| 000-13250-001 |  The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.  | 1649.00         | 2011.78           |
| 000-11770-002 |  PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.   | 659.00          | 803.98            |
| 000-15444-002 |  PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required). | 719.00          | 877.18            |
| 000-15445-002 |  PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).     | 879.00          | 1072.38           |
| 000-15446-002 |  PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required). | 1279.00         | 1560.38           |
| 000-15447-002 |  PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required). | 1279.00         | 1560.38           |
| 000-10756-001 |  RF25N Unità Feedback Timone: Con braccetto di trasmissione e 5 m (16.5 ft) di cavo NMEA2000 Micro-C   | 319.00          | 389.18            |
| 20193744      |  RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.   | 287.00          | 350.14            |
| 20188074      |  LF3000 Feedback Lineare: Per uso su sistemi fuori bordo se si vuole avere l'angolo del timone. Necessaria anche LFI3000MK2 prezzata/ordinata separatamente di seguito   | 399.00          | 486.78            |
| 000-15942-001 |  Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5   | 169.00          | 206.18            |
| 20188082      |  LFI3000MK2: Richiesta per uso su applicazioni fuoribordo con LF3000   | 141.90          | 173.12            |
| 000-14439-001 |  NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.   | 319.00          | 389.18            |
| 000-15944-001 |  Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors  | 50.00           | 61.00             |
| 000-15949-001 |  ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer  | 569.00          | 694.18            |
| 000-15950-001 |  Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer   | 820.00          | 1000.40           |
| 000-15943-001 |  Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5   | 549.00          | 669.78            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15734-001 |  SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.   | 459.00          | 559.98            |
| 000-11771-001 |  The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers. | 1209.00         | 1474.98           |
| 000-12316-001 |  WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.  | 479.00          | 584.38            |
| 000-13703-001 |  Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.   | 49.00           | 59.78             |
| 000-11769-001 |  NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.  | 729.00          | 889.38            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-15942-001 |  Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5   | 169.00          | 206.18            |
| 000-14439-001 |  NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.             | 319.00          | 389.18            |
| 000-15944-001 |  Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors   | 50.00           | 61.00             |
| 000-15949-001 |  ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer  | 569.00          | 694.18            |
| 000-15950-001 |  Autopilot fitting kit for MKII Pumps 2, 3, 4 & 5 for use with Verado systems. Includes SteadySteer   | 820.00          | 1000.40           |
| 000-15943-001 |  Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 & 5   | 549.00          | 669.78            |
| 000-12316-001 |  WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.  | 479.00          | 584.38            |
| 000-14268-001 |  Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection. | 27.00           | 32.94             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-12359-001 |  WR10 BT-1 Base Station Only         | 269.00          | 328.18            |
| 000-12358-001 |  WR10 Wireless Remote for Autopilot. | 209.00          | 254.98            |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| 000-15858-001 |  PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs.<br>Note: Not for Pump-1  | 65.00              | 79.30                |
| 000-15734-001 |  SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot. | 459.00             | 559.98               |
| 000-14464-001 | NAC-1 & NAC-2 Power Cable - 2m   | 38.00              | 46.36                |
| 000-14798-001 |  NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)   | 38.00              | 46.36                |
| 000-14463-001 | NAC-2 Spare Drive Cable - 2m (6.5 ft)  | 38.00              | 46.36                |

## VHF Fissi

## Main Products


| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14472-001 |  Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.                                     | 689.00          | 840.58            |
| 000-14493-001 |  Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.                                       | 394.00          | 480.68            |
| 000-15651-001 |  SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable. | 95.00           | 115.90            |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| AA000355      |  Antenna VHF Navico 1710, 2.5 m (8 ft) ultraglass, innesto rapido @ 6dB  | 89.00           | 108.58            |
| AA000358      |  Antenna VHF Navico 1770, 1 m (3 ft) Ultraglass, innesto rapido @ 3dB  | 49.00           | 59.78             |
| AA000223      |  Base Navico 1810 per antenna VHF, in nylon per impiego gravoso, innesto rapido con 5 m (16 ft) di cavo                      | 54.00           | 65.88             |
| AA000224      |  Base Navico 1815 per antenna VHF, in acciaio inox, innesto rapido con 5 m (16 ft) di cavo                                 | 119.00          | 145.18            |
| 000-16055-001 |  VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector | 119.00          | 145.18            |
| AA000352      |  Antenna VHF Navico 1720, 1.1 m (3 ft) inox per testa d'albero con staffa @ 3dB  | 75.00           | 91.50             |
| AA000400      |  Cavo prolunga VHF 5 m (16 ft)   | 29.00           | 35.38             |
| 000-15859-001 |  VHF ANTENNA, 1 Meter Back Fiberglass Stainless Steel, Quick fit fitting.  | 85.00           | 103.70            |
| 000-14924-001 |  10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.                        | 55.00           | 67.10             |
| 000-14923-001 |  5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.                         | 44.00           | 53.68             |
| 000-14968-001 |  Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK  | 88.00           | 107.36            |
| 000-13613-001 |  GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.                 | 149.00          | 181.78            |

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14065-001 |  Bracket mount knobs for Link-6 VHF radio (White) | 15.44           | 18.84             |
| 000-14063-001 |  VHF, MIC CLIP FOR LINK-6W                        | 8.23            | 10.04             |
| 000-14061-001 |  Mounting Bracket for Link 6 VHF (White)          | 30.89           | 37.69             |
| 000-14058-001 | VHF, FLUSH MOUNT KIT, LINK-6W  | 11.32           | 13.81             |
| 000-14057-001 |  LINK-6 Flush Mount Kit                           | 11.99           | 14.63             |
| 000-14060-001 |  LINK-6 Mounting Bracket                          | 33.00           | 40.26             |
| 000-14064-001 |  LINK-6 Mounting Bracket Knobs                    | 16.00           | 19.52             |
| 000-14062-001 |  LINK-6 Mic Clip                                  | 9.00            | 10.98             |
| 000-14054-001 |  LINK-6 Suncover                                | 21.99           | 26.83             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-14911-001 |  LINK-9 VHF Suncover   | 21.99           | 26.83             |
| 000-14920-001 |  Lowrance Link-9 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations. | 76.99           | 93.93             |
| 000-14918-001 |  LINK-9 Fist Mic mounting clip   | 8.99            | 10.97             |
| 000-14916-001 |  Link-9 VHF Mounting bracket with Knobs and Screws   | 27.99           | 34.15             |
| 000-14914-001 |  Link-9 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws  | 11.99           | 14.63             |
| 000-14060-001 |  LINK-6 Mounting Bracket   | 33.00           | 40.26             |
| 000-14064-001 |  LINK-6 Mounting Bracket Knobs   | 16.00           | 19.52             |
| 000-14062-001 |  LINK-6 Mic Clip   | 9.00            | 10.98             |
| 000-10002-001 |  Coperchio parsole per LVR-880   | 30.26           | 36.92             |

## AIS Classe B

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-13609-001 |  NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.                                      | 829.00          | 1011.38           |
| 000-13963-001 |  NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters. | 1099.00         | 1340.78           |
| 000-13612-001 |  NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.  | 269.00          | 328.18            |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-13612-001 |  NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.                      | 269.00          | 328.18            |
| AA000355      |  Antenna VHF Navico 1710, 2.5 m (8 ft) ultraglass, innesto rapido @ 6dB  | 89.00           | 108.58            |
| AA000358      |  Antenna VHF Navico 1770, 1 m (3 ft) Ultraglass, innesto rapido @ 3dB   | 49.00           | 59.78             |
| AA000223      |  Base Navico 1810 per antenna VHF, in nylon per impiego gravoso, innesto rapido con 5 m (16 ft) di cavo                    | 54.00           | 65.88             |
| AA000224      |  Base Navico 1815 per antenna VHF, in acciaio inox, innesto rapido con 5 m (16 ft) di cavo                                 | 119.00          | 145.18            |
| 000-16055-001 |  VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector | 119.00          | 145.18            |
| AA000352      |  Antenna VHF Navico 1720, 1.1 m (3 ft) inox per testa d'albero con staffa @ 3dB  | 75.00           | 91.50             |
| AA000400      |  Cavo prolunga VHF 5 m (16 ft)   | 29.00           | 35.38             |
| AA000401      |  Cavo albero VHF 30 m (98 ft) per antenna 1720   | 89.00           | 108.58            |
| 000-15859-001 |  VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.   | 85.00           | 103.70            |
| 000-14968-001 |  Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK  | 88.00           | 107.36            |

## Spare Parts

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-13611-001 |  NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters. | 789.00             | 962.58               |
| 000-13959-001 |  NAIS500/400 & Naviop OP-BOX Power & Serial Cable  | 59.00              | 71.98                |

## NMEA2000

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-0124-69   |  Kit di avviamento NMEA 2000® - Dorsale richiesta per installare uno o più sensori NMEA 2000® con ogni installazione HDS; comprende: cavo alimentazione, cavo da 0,6 m (2ft), cavo da 4,5 m (15 ft), 2 connettori a T, terminatori di rete | 90.00           | 109.80            |
| 000-10760-001 |  NMEA2000 starter kit  | 90.00           | 109.80            |
| 000-0119-79   |  N2K-T-RD - connettore a T NMEA 2000® per il collegamento in rete di dispositivo aggiuntivo  | 22.00           | 26.84             |
| 000-12612-001 |  Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.  | 72.00           | 87.84             |
| 000-0119-88   |  N2KEXT-2RD - Cavo da 0.61 m (2-ft) NMEA 2000® per prolunga di rete o collegamento in rete di dispositivo aggiuntivo   | 32.00           | 39.04             |
| 000-0127-53   |  N2KEXT-6RD - Cavo da 1.82 m (6-ft) NMEA 2000® per prolunga di rete o collegamento in rete di dispositivo aggiuntivo   | 50.00           | 61.00             |
| 000-0119-86   |  N2KEXT-15RD - Cavo da 4.55 m (15-ft) NMEA 2000® per prolunga di rete o collegamento in rete di dispositivo aggiuntivo   | 56.00           | 68.32             |
| 000-0119-83   |  N2KEXT-25RD - Cavo da 7.58 m (25-ft) NMEA 2000® solo per prolunga dorsale di rete   | 79.00           | 96.38             |
| 000-14376-001 |  NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs   | 79.00           | 96.38             |
| 000-14377-001 |  NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs  | 99.00           | 120.78            |
| 000-14378-001 |  NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs   | 129.00          | 157.38            |
| 000-14379-001 |  NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.                                  | 159.00          | 193.98            |
| 000-0127-52   |  TR-120-KIT - Kit di terminatori NMEA2000 composto da 1 maschio e 1 femmina  | 22.00           | 26.84             |
| 000-0119-75   |  N2K-PWR-RD - Nodo di alimentazione NMEA 2000® (cavo + connettore a T); per aggiornamento rete gamme LMS/LCX/GlobalMap al sistema HDS  | 60.51           | 73.83             |
| 000-12259-001 |  Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.   | 40.00           | 48.80             |
| 000-0127-04   |  NAC-MRD2MBL - Cavo adattatore per abilitare la connessione di un apparato NMEA 2000® blu ad una rete rossa o nera   | 46.36           | 56.56             |
| 000-0127-05   |  NAC-FRD2FBL - Cavo Adattatore per abilitare la connessione di un apparato NMEA 2000® rosso o blu ad una rete blu  | 46.36           | 56.56             |

| Part Number | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|-------------|---|-----------------|-------------------|
| 000-0127-45 |  Kit adattatore da SimNet a N2K - Collega sensori SimNet (FC40, RC42) alla rete NMEA 2000®; comprende: adattatore maschio Simnet-N2k, 2 giunti Simnet, connettore a T NMEA2000®. | 118.51          | 144.58            |
| 24005729    |  Cavo SimNet a Micro-C (maschio) da 0,5 mt (1,6ft) che collega un prodotto SimNet alla rete NMEA 2000® 0.5 m (1.6 ft)  | 38.00           | 46.36             |

## Spare Parts

| Part Number | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|-------------|--|-----------------|-------------------|
| 24005729    |  Cavo SimNet a Micro-C (maschio) da 0,5 mt (1,6ft) che collega un prodotto SimNet alla rete NMEA 2000® 0.5 m (1.6 ft) | 38.00           | 46.36             |

## Sensori

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-11047-002 |  Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!                             | 279.00          | 340.38            |
| 000-12930-002 |  Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. | 279.00          | 340.38            |
| 000-12607-001 |  Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.   | 669.00          | 816.18            |
| 000-15939-001 |  NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable   | 183.00          | 223.26            |
| 000-15940-001 |  NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.  | 167.00          | 203.74            |
| 000-15735-001 |  DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.   | 439.89          | 536.67            |
| 000-11517-001 |  Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.  | 239.00          | 291.58            |
| 000-0120-62   |  Cavo interfaccia motore Evinrude da 4,5 m (15 ft) e con connettore a T   | 119.00          | 145.18            |
| 000-0120-37   |  Cavo interfaccia motore Yamaha da 4,5 m (15 ft) e con connettore a T   | 119.00          | 145.18            |
| 000-11518-001 |  Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.  | 109.00          | 132.98            |
| 000-11519-001 |  Speed Through Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.   | 119.00          | 145.18            |
| 000-11520-001 |  Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.  | 119.00          | 145.18            |
| 000-11521-001 |  Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.   | 108.90          | 132.86            |
| 000-11522-001 |  Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.   | 119.00          | 145.18            |
| 000-11523-001 |  Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.  | 159.00          | 193.98            |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-12612-001 |  Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.   | 72.00           | 87.84             |
| 000-0119-88   |  N2KEXT-2RD - Cavo da 0.61 m (2-ft) NMEA 2000® per prolunga di rete o collegamento in rete di dispositivo aggiuntivo  | 32.00           | 39.04             |
| 000-0127-53   |  N2KEXT-6RD - Cavo da 1.82 m (6-ft) NMEA 2000® per prolunga di rete o collegamento in rete di dispositivo aggiuntivo  | 50.00           | 61.00             |
| 000-0119-86   |  N2KEXT-15RD - Cavo da 4.55 m (15-ft) NMEA 2000® per prolunga di rete o collegamento in rete di dispositivo aggiuntivo  | 56.00           | 68.32             |
| 000-11522-001 |  Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used. | 119.00          | 145.18            |
| 000-0127-45   |  Kit adattatore da SimNet a N2K - Collega sensori SimNet (FC40, RC42) alla rete NMEA 2000®; comprende: adattatore maschio Simnet-N2k, 2 giunti Simnet, connettore a T NMEA2000®.      | 118.51          | 144.58            |
| 000-11148-001 |  Pole Mount for GS25 / ZG100 / POINT-1  | 30.00           | 36.60             |
| 000-10568-001 |  Kit accessori connettore per DST800  | 29.00           | 35.38             |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-10568-001 |  Kit accessori connettore per DST800 | 29.00           | 35.38             |

## Ethernet

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-16144-001 |  Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)                  | 24.99           | 30.49             |
| 000-10029-001 |  NEP-2 Espansore Porte di Rete  | 309.00          | 376.98            |
| 000-0127-51   |  ETHEXT-6YL cavo ethernet da 1.8 m (6 ft)                               | 38.00           | 46.36             |
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)                             | 56.00           | 68.32             |
| 000-0127-30   |  ETHEXT-25YL cavo ethernet da 7.7 m (25 ft)                             | 79.00           | 96.38             |
| 000-0127-37   |  ETHEXT-50YL cavo ethernet da 15.2 m (50 ft)                            | 109.00          | 132.98            |
| 000-0127-56   |  Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft) | 42.00           | 51.24             |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16295-001 |  Transducer, Network cable pulling tools     | 24.99           | 30.49             |
| 000-0127-51   |  ETHEXT-6YL cavo ethernet da 1.8 m (6 ft)    | 38.00           | 46.36             |
| 000-0127-29   |  ETHEXT-15YL cavo ethernet da 4.5 m (15 ft)  | 56.00           | 68.32             |
| 000-0127-30   |  ETHEXT-25YL cavo ethernet da 7.7 m (25 ft)  | 79.00           | 96.38             |
| 000-0127-37   |  ETHEXT-50YL cavo ethernet da 15.2 m (50 ft) | 109.00          | 132.98            |

## Spare Parts

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-00128-001 |  Cavo Alimentazione Simrad (Conn. a 4 Piedini a 4 cavi liberi con ingresso Alimentazione, Controllo bus Alimentazione ed allarme esterno) 2 m (6.5 ft) | 40.00           | 48.80             |

## Cameras

## Main Products

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-15876-001 | <br>The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE. | 559.00             | 681.98               |

## Accessories

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-14552-001 | <br>Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot. | 42.00              | 51.24                |

## REVEAL COASTAL™

## Main Products

| Part Number  | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|--|---|-----------------|-------------------|
| M-AF-Y209-MS    | REVEAL: M-AF-Y209-MS South & East Africa                      | 199.00          | 242.78            |
| M-AF-Y210-MS    | REVEAL: M-AF-Y210-MS West Africa                              | 199.00          | 242.78            |
| M-EM-Y076-MS    | REVEAL: M-EM-Y076-MS South-West European Coasts               | 199.00          | 242.78            |
| M-EM-Y111-MS    | REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas         | 199.00          | 242.78            |
| M-EN-Y070-MS    | REVEAL: M-EN-Y070-MS Central Europe Inland                    | 199.00          | 242.78            |
| M-EN-Y299-MS    | C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea                      | 199.00          | 242.78            |
| M-EN-Y300-MS   | C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark             | 199.00          | 242.78            |
| M-EN-Y326-MS  | C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes                   | 199.00          | 242.78            |
| M-EN-Y580-MS  | C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland              | 199.00          | 242.78            |
| M-EW-Y065-MS  | REVEAL: M-EW-Y065-MS France Coastal & Inland                  | 199.00          | 242.78            |
| M-EW-Y226-MS  | REVEAL: M-EW-Y226-MS United Kingdom                           | 199.00          | 242.78            |
| M-EW-Y227-MS  | REVEAL: M-EW-Y227-MS North-West European Coasts               | 199.00          | 242.78            |
| M-EW-Y228-MS  | REVEAL: M-EW-Y228-MS West European Coasts                     | 199.00          | 242.78            |
| M-ME-Y204-MS  | REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands | 199.00          | 242.78            |
| M-RS-Y013-MS  | REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands      | 199.00          | 242.78            |
| M-RS-Y202-MS  | REVEAL: M-RS-Y202-MS Russian Federation – North West          | 199.00          | 242.78            |
| M-RS-Y203-MS  | REVEAL: M-RS-Y203-MS Russian Federation – North Central       | 199.00          | 242.78            |

| Part Number  | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|--------------|--|-----------------|-------------------|
| M-RS-Y204-MS |  REVEAL: M-RS-Y204-MS Russian Federation – North East | 199.00          | 242.78            |
| M-RS-Y207-MS |  REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands   | 199.00          | 242.78            |

## C-MAP Discover

## Main Products

| Part Number  | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|--|--|-----------------|-------------------|
| M-AF-Y200-MS    | DISCOVER: M-AF-Y200-MS Cameroon to South Africa    | 129.00          | 157.38            |
| M-AF-Y201-MS    | DISCOVER: M-AF-Y201-MS South Africa to Mozambique  | 129.00          | 157.38            |
| M-AF-Y220-MS    | DISCOVER: M-AF-Y220-MS Pemba to Mogadishu          | 129.00          | 157.38            |
| M-EM-Y040-MS    | DISCOVER: M-EM-Y040-MS Italian Lakes & Po River    | 129.00          | 157.38            |
| M-EM-Y200-MS    | DISCOVER: M-EM-Y200-MS West Mediterranean          | 129.00          | 157.38            |
| M-EM-Y201-MS    | DISCOVER: M-EM-Y201-MS Central Mediterranean       | 129.00          | 157.38            |
| M-AF-Y214-MS   | DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau  | 129.00          | 157.38            |
| M-EM-Y202-MS  | DISCOVER: M-EM-Y202-MS Mediterranean South Central | 129.00          | 157.38            |
| M-EM-Y203-MS  | DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas      | 129.00          | 157.38            |
| M-EM-Y204-MS  | DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara | 129.00          | 157.38            |
| M-EM-Y205-MS  | DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov     | 129.00          | 157.38            |
| M-EM-Y206-MS  | DISCOVER: M-EM-Y206-MS Mediterranean South East    | 129.00          | 157.38            |
| M-EN-Y200-MS  | C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes       | 129.00          | 157.38            |
| M-EN-Y201-MS  | DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes     | 129.00          | 157.38            |
| M-EN-Y202-MS  | DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden     | 129.00          | 157.38            |
| M-EN-Y203-MS  | DISCOVER: M-EN-Y203-MS Farsund to Måløy            | 129.00          | 157.38            |
| M-EN-Y204-MS  | DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal    | 129.00          | 157.38            |

| Part Number  | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|--------------|---|--------------------|----------------------|
| M-EN-Y205-MS |  DISCOVER: M-EN-Y205-MS Karlskrona to Emden                          | 129.00             | 157.38               |
| M-EN-Y206-MS |  DISCOVER: M-EN-Y206-MS Torekov to Larvik                            | 129.00             | 157.38               |
| M-EN-Y207-MS |  DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik                        | 129.00             | 157.38               |
| M-EN-Y208-MS |  DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik                    | 129.00             | 157.38               |
| M-EN-Y209-MS |  DISCOVER: M-EN-Y209-MS Gulf of Bothnia                              | 129.00             | 157.38               |
| M-EN-Y210-MS |  DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters                    | 129.00             | 157.38               |
| M-EN-Y211-MS |  DISCOVER: M-EN-Y211-MS Finland Lakes                                | 129.00             | 157.38               |
| M-EN-Y212-MS |  DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago | 129.00             | 157.38               |
| M-EN-Y213-MS |  DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia                 | 129.00             | 157.38               |
| M-EN-Y214-MS |  DISCOVER: M-EN-Y214-MS Polish Coast & Inland                      | 129.00             | 157.38               |
| M-EN-Y215-MS |  DISCOVER: M-EN-Y215-MS Germany & Netherland Inland                | 129.00             | 157.38               |
| M-EN-Y216-MS |  DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal                   | 129.00             | 157.38               |
| M-EN-Y217-MS |  DISCOVER: M-EN-Y217-MS Central Europe Inland                      | 129.00             | 157.38               |
| M-EN-Y218-MS |  DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands  | 129.00             | 157.38               |
| M-EN-Y630-MS |  DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf                | 129.00             | 157.38               |
| M-EW-Y206-MS |  DISCOVER: M-EW-Y206-MS French Inland Waters                       | 129.00             | 157.38               |
| M-EW-Y207-MS |  DISCOVER: M-EW-Y207-MS Bay of Biscay                              | 129.00             | 157.38               |
| M-EW-Y208-MS |  DISCOVER: M-EW-Y208-MS Portugal & Galicia                         | 129.00             | 157.38               |

| Part Number  | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|--------------|--|-----------------|-------------------|
| M-EW-Y209-MS |  DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar  | 129.00          | 157.38            |
| M-ME-Y200-MS |  DISCOVER: M-ME-Y200-MS Red Sea                     | 129.00          | 157.38            |
| M-ME-Y201-MS |  DISCOVER: M-ME-Y201-MS Persian Gulf to Oman        | 129.00          | 157.38            |
| M-RS-Y009-MS |  DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun    | 129.00          | 157.38            |
| M-RS-Y221-MS |  DISCOVER: M-RS-Y221-MS White Sea                   | 129.00          | 157.38            |
| M-EW-Y060-MS |  DISCOVER: M-EW-Y060-MS Central & West Europe       | 185.00          | 225.70            |
| M-RS-Y240-MS |  DISCOVER: M-RS-Y240-MS Tauyskaya Bay               | 83.00           | 101.26            |
| M-AF-Y003-MS |  DISCOVER: M-AF-Y003-MS Antarctica                 | 185.00          | 225.70            |
| M-AF-Y050-MS |  DISCOVER: M-AF-Y050-MS Africa & Arabian Sea      | 185.00          | 225.70            |
| M-EM-Y045-MS |  DISCOVER: M-EM-Y045-MS Southern Europe           | 185.00          | 225.70            |
| M-EN-Y040-MS |  DISCOVER: M-EN-Y040-MS Greenland                 | 185.00          | 225.70            |
| M-EN-Y050-MS |  DISCOVER: M-EN-Y050-MS Northern & Central Europe | 185.00          | 225.70            |
| M-EN-Y055-MS |  DISCOVER: M-EN-Y055-MS Baltic Sea                | 185.00          | 225.70            |
| M-EW-Y200-MS |  DISCOVER: M-EW-Y200-MS United Kingdom & Ireland  | 150.86          | 184.05            |


## Naviop Kits

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14666-001 |  Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.                         | 1089.74         | 1329.48           |
| 000-14665-001 |  Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.                      | 1882.84         | 2297.06           |
| 000-14664-001 |  Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.   | 1687.14         | 2058.31           |
| 000-14663-001 |  Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels. | 2675.94         | 3264.65           |

## Accessories

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 31M-316-0     |  Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only  | 870.00          | 1061.40           |
| 31M-335-0     |  Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only  | 870.00          | 1061.40           |
| 31M-336-0     |  Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay  | 870.00          | 1061.40           |
| 31M-337-0     |  Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only  | 870.00          | 1061.40           |
| 000-14844-001 |  Naviop EGON+ 12VDC Replacement Relay   | 24.70           | 30.13             |
| C-EGON-01     |  Naviop EGON Power and CAN Cable - CAN ID 2   | 78.00           | 95.16             |
| C-EGON-02     |  Naviop EGON Power and CAN Cable - CAN ID 2   | 78.00           | 95.16             |
| C-EGON-03     |  Naviop EGON Power and CAN Cable - CAN ID 3   | 78.00           | 95.16             |
| C-EGON-04     |  Naviop EGON Power and CAN Cable - CAN ID 4   | 78.00           | 95.16             |
| 000-14901-001 |  Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals. | 49.00           | 59.78             |
| 000-15212-001 |  Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.   | 1029.00         | 1255.38           |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---|--|--------------------|----------------------|
| BERMINI-USAA-1M  | Naviop OP-BOX USB Cable  | 64.35              | 78.51                |
| C-28576          | Naviop CAN Drop Cable NA30   | 59.00              | 71.98                |
| C-28574          | Naviop CAN Drop Cable for NOVA+ - 1.2m   | 56.00              | 68.32                |
| C-34686          | Axial DB9 Male Cable for RS323/485 - 2m  | 30.50              | 37.21                |
| C-DAU-CABLE      | Naviop Wiring Harness for DAU Units - 2m   | 105.00             | 128.10               |
| DAU-B-128        | Naviop DAU Bridge - CAN ID 128   | 1050.00            | 1281.00              |
| DAU-E-136      | Naviop DAU Easy - CAN ID 136   | 1050.00            | 1281.00              |
| DAU-E-137      | Naviop DAU Easy - CAN ID 137   | 1050.00            | 1281.00              |
| NA05-0003      | Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.            | 930.00             | 1134.60              |
| NA05-0003-H    | Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems. | 950.00             | 1159.00              |

## Naviop Parts

## Main Products

| Part Number     | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|-----------------|--|-----------------|-------------------|
| 000-15756-001   |  Naviop OP-BOX Programmable 1GHz  | 1275.00         | 1555.50           |
| 000-14991-001   |  Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.             | 279.00          | 340.38            |
| 31M-316-0       |  Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only  | 870.00          | 1061.40           |
| 31M-335-0       |  Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only  | 870.00          | 1061.40           |
| 31M-336-0       |  Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay  | 870.00          | 1061.40           |
| 31M-337-0       |  Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only   | 870.00          | 1061.40           |
| 000-14844-001   |  Naviop EGON+ 12VDC Replacement Relay   | 24.70           | 30.13             |
| C-EGON-01       |  Naviop EGON Power and CAN Cable - CAN ID 2   | 78.00           | 95.16             |
| C-EGON-02       |  Naviop EGON Power and CAN Cable - CAN ID 2   | 78.00           | 95.16             |
| C-EGON-03       |  Naviop EGON Power and CAN Cable - CAN ID 3   | 78.00           | 95.16             |
| C-EGON-04       |  Naviop EGON Power and CAN Cable - CAN ID 4   | 78.00           | 95.16             |
| 000-14901-001   |  Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals. | 49.00           | 59.78             |
| 000-15212-001   |  Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.   | 1029.00         | 1255.38           |
| BERMINI-USAA-1M |  Naviop OP-BOX USB Cable  | 64.35           | 78.51             |
| C-28576         |  Naviop CAN Drop Cable NA30   | 59.00           | 71.98             |
| C-28574         |  Naviop CAN Drop Cable for NOVA+ - 1.2m   | 56.00           | 68.32             |

| Part Number   | Description  | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|--|--------------------|----------------------|
| C-34686       |  Axial DB9 Male Cable for RS323/485 - 2m  | 30.50              | 37.21                |
| C-DAU-CABLE   |  Naviop Wiring Harness for DAU Units - 2m   | 105.00             | 128.10               |
| DAU-B-128     |  Naviop DAU Bridge - CAN ID 128   | 1050.00            | 1281.00              |
| DAU-E-136     |  Naviop DAU Easy - CAN ID 136   | 1050.00            | 1281.00              |
| DAU-E-137     |  Naviop DAU Easy - CAN ID 137   | 1050.00            | 1281.00              |
| NA05-0003     |  Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.             | 930.00             | 1134.60              |
| NA05-0003-H   |  Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems. | 950.00             | 1159.00              |
| 000-13959-001 |  NAIS500/400 & Naviop OP-BOX Power & Serial Cable   | 59.00              | 71.98                |

## Service Parts

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-14256-001 |  Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers. | 108.99          | 132.97            |
| 000-14260-001 |  TotalScan™ Through-Hull Transducer Fairing Block Only  | 109.00          | 132.98            |
| 000-14503-001 | LINKPRO SERVICE TOOL   | 219.00          | 267.18            |
| 151-10333-001 | SERVICE SONARHUB   | 346.00          | 422.12            |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-0106-72   |  HST-WSBL 83/200kHz Skimmer® per montaggio su specchio di poppa profondità/temperatura con connettore blu 7 pin                                      | 76.99           | 93.93             |
| 000-0106-77   |  HST-DFSBL 50/200 kHz Skimmer® per montaggio su specchio di poppa profondità/temperatura con connettore blu 7 pin                                    | 154.99          | 189.09            |
| 000-0106-94   |  PTI-WBL - Trasduttore Ghiaccio con connettore blu   | 98.99           | 120.77            |
| 000-0099-95   |  TS-1BL Sensore temperatura - connettore Blu (non collegabile in rete)   | 85.00           | 103.70            |
| 000-10046-001 |  Cavo Adattatore, 7 pedini BLU a cavi liberi - per BSM-1   | 29.00           | 35.38             |
| 000-0099-93   |  XT-12BL Cavo prolunga trasduttore blu 7 pin da 12ft   | 48.99           | 59.77             |
| 000-10976-001 |  HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)                     | 144.99          | 176.89            |
| 000-0099-94   |  XT-20BL Cavo prolunga trasduttore blu 7 pin da 20ft   | 48.99           | 59.77             |
| 000-10977-001 |  HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)                    | 284.99          | 347.69            |
| 000-0051-45   |  TMB-S Staffa di montaggio su motore trolling per trasduttore standard Skimmer®  | 19.99           | 24.39             |
| 000-0099-44   |  AC-CAF - AC adattatore alimentazione a presa accendisigaro femmina da presa a muro AC 120V  | 46.42           | 56.63             |
| 000-0119-10   |  CA-8 - Cavo Alimentazione con spina accendisigari per tutti i modelli Lowrance da 5" e superiori tranne X-96 | 64.99           | 79.29             |
| 000-10027-001 |  Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite  | 35.00           | 42.70             |

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-10909-001 |  RAM QUICK RELEASE BRACKET 1" BALL:<br>Mark 4 & 5<br>Elite 3, 4 & 5<br>Elite Ti 5 & 7<br>Go5   | 39.66              | 48.38                |
| 000-10910-001 |  RAM QUICK RELEASE BRACKET 1.5" BALL:<br>Mark 4 & 5<br>Elite 3, 4 & 5<br>Elite Ti 5 & 7<br>Go5 | 56.65              | 69.11                |
| 000-10978-001 |  HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)      | 25.99              | 31.71                |
| 000-11307-001 |  SUNCOVER: 4" MARK/ELITE/HOOK  | 23.99              | 29.27                |
| 000-11308-001 |  FLUSH MOUNT KIT: 4" MARK/ELITE/HOOK   | 18.91              | 23.07                |



## Display

## Main Products

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16514-001 |  CAP-2 MFD CONNECTOR CAP SET. CAP-1 Pack + USB A + USB C + HDM   | 31.99           | 39.03             |
| 000-12742-001 |  HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port. | 69.00           | 84.18             |
| 000-12741-001 |  HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port. | 115.00          | 140.30            |
| 000-16444-001 | Protective suncover for Elite FS 12   | 60.00           | 73.20             |
| 000-16443-001 | Protective suncover for Elite FS 10   | 45.00           | 54.90             |
| 000-16446-001 | Elite™ FS 12 Flushmount kit   | 45.00           | 54.90             |
| 000-16445-001 | Elite™ FS 10 Flushmount kit   | 45.00           | 54.90             |
| 000-14041-001 |  2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.   | 32.99           | 40.25             |
| 000-0124-70   |  CAP-1 - Set di tappi per connettori per le serie HDS  | 21.99           | 26.83             |

## Sonar

## Main Products

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-15470-001 | B744VC ACTIVE INSERT - REPLACEMENT  | 309.00             | 376.98               |
| 000-11040-001 |  Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules. | 108.90             | 132.86               |
| 000-14963-001 |  Replacement Ice Mount for LiveSight Transducer                          | 319.99             | 390.39               |
| 000-0127-54   |  Cavo alimentazione per BSM-1, LSS-2 2m (6.5ft)                          | 48.00              | 58.56                |

## Radar

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-10795-001 |  SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.                               | 599.00          | 730.78            |
| 000-10904-001 |  CAVO, BB RADAR, PROLUNGA 2M  | 66.00           | 80.52             |
| 000-10905-001 |  CAVOE, BB RADAR, ESTERNO, 5M   | 77.00           | 93.94             |
| 000-14551-001 |  Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar. | 65.00           | 79.30             |
| 000-14552-001 |  Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.   | 42.00           | 51.24             |
| 000-14548-001 |  Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays           | 119.00          | 145.18            |
| 000-14549-001 |  Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays        | 179.00          | 218.38            |
| 000-14550-001 |  Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays       | 239.00          | 291.58            |
| 000-14547-001 |  Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays        | 77.00           | 93.94             |

## Accessories

| Part Number   | Description   | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|---|-----------------|-------------------|
| 000-16295-001 |  Transducer, Network cable pulling tools | 24.99           | 30.49             |

## VHF AIS

## Main Products

| Part Number   | Description  | RRP excl. (EUR) | RRP incl. (22.0%) |
|---------------|--|-----------------|-------------------|
| 000-11727-001 |  RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount                      | 89.51           | 109.20            |
| AA000355      |  Antenna VHF Navico 1710, 2.5 m (8 ft) ultraglass, innesto rapido @ 6dB                                 | 89.00           | 108.58            |
| AA000358      |  Antenna VHF Navico 1770, 1 m (3 ft) Ultraglass, innesto rapido @ 3dB                                   | 49.00           | 59.78             |
| AA000223      |  Base Navico 1810 per antenna VHF, in nylon per impiego gravoso, innesto rapido con 5 m (16 ft) di cavo | 54.00           | 65.88             |
| AA000224      |  Base Navico 1815 per antenna VHF, in acciaio inox, innesto rapido con 5 m (16 ft) di cavo              | 119.00          | 145.18            |
| AA000352      |  Antenna VHF Navico 1720, 1.1 m (3 ft) inox per testa d'albero con staffa @ 3dB                         | 75.00           | 91.50             |
| AA000400      |  Cavo prolunga VHF 5 m (16 ft)   | 29.00           | 35.38             |
| AA000401      |  Cavo albero VHF 30 m (98 ft) per antenna 1720  | 89.00           | 108.58            |
| 000-10378-001 |  VKIT-9 Kit montaggio ad incasso per RS10 e RS25  | 10.58           | 12.91             |
| 000-11564-001 |  BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.                                       | 56.65           | 69.11             |
| 000-11562-001 |  BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.   | 39.66           | 48.38             |
| 000-15859-001 |  VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.                              | 85.00           | 103.70            |
| 000-14263-001 |  RS20/V20 Mounting Bracket Knobs  | 16.00           | 19.52             |
| 000-13716-001 |  Bracket Kit - Water Level or Antenna Mount   | 6.18            | 7.54              |
| 000-14066-001 |  VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60, Lowrance Link-9, Link-6 S                 | 88.00           | 107.36            |

## Accessories

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| AA000223      |  Base Navico 1810 per antenna VHF, in nylon per impiego gravoso, innesto rapido con 5 m (16 ft) di cavo                    | 54.00              | 65.88                |
| AA000224      |  Base Navico 1815 per antenna VHF, in acciaio inox, innesto rapido con 5 m (16 ft) di cavo                                 | 119.00             | 145.18               |
| 000-16055-001 |  VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector | 119.00             | 145.18               |
| AA000400      |  Cavo prolunga VHF 5 m (16 ft)   | 29.00              | 35.38                |
| AA000401      |  Cavo albero VHF 30 m (98 ft) per antenna 1720   | 89.00              | 108.58               |

## Autopilota

Main Products

| Part Number   | Description   | RRP excl.<br>(EUR) | RRP incl.<br>(22.0%) |
|---------------|---|--------------------|----------------------|
| 000-12359-001 |  WR10 BT-1 Base Station Only         | 269.00             | 328.18               |
| 000-12358-001 |  WR10 Wireless Remote for Autopilot. | 209.00             | 254.98               |

# INDICE COMPLETO PRICEBOOK LOWRANCE

Febbraio 2026

## 1. Lowrance HDS PRO

|                      |                |
|----------------------|----------------|
| <b>HDS-16 PRO</b>    | <b>pag. 1</b>  |
| <i>Main Products</i> | pag. 1         |
| <i>Accessories</i>   | pag. 1         |
| <b>HDS-12 PRO</b>    | <b>pag. 4</b>  |
| <i>Main Products</i> | pag. 4         |
| <i>Accessories</i>   | pag. 4         |
| <i>Spare Parts</i>   | pag. 4         |
| <b>HDS-10 PRO</b>    | <b>pag. 7</b>  |
| <i>Main Products</i> | pag. 7         |
| <i>Accessories</i>   | pag. 7         |
| <b>HDS-9 PRO</b>     | <b>pag. 10</b> |
| <i>Main Products</i> | pag. 10        |
| <i>Accessories</i>   | pag. 10        |

## 2. Lowrance Elite FS

|                      |                |
|----------------------|----------------|
| <b>Elite-12 FS</b>   | <b>pag. 13</b> |
| <i>Main Products</i> | pag. 13        |
| <i>Accessories</i>   | pag. 13        |
| <i>Spare Parts</i>   | pag. 14        |
| <b>Elite-10 FS</b>   | <b>pag. 15</b> |
| <i>Main Products</i> | pag. 15        |
| <i>Accessories</i>   | pag. 15        |
| <i>Spare Parts</i>   | pag. 16        |
| <b>Elite-9 FS</b>    | <b>pag. 17</b> |
| <i>Main Products</i> | pag. 17        |
| <i>Accessories</i>   | pag. 17        |
| <i>Spare Parts</i>   | pag. 18        |
| <b>Elite-7 FS</b>    | <b>pag. 19</b> |
| <i>Main Products</i> | pag. 19        |
| <i>Accessories</i>   | pag. 19        |
| <i>Spare Parts</i>   | pag. 21        |

## 3. Lowrance Eagle

|                      |                |
|----------------------|----------------|
| <b>Eagle-4x</b>      | <b>pag. 21</b> |
| <i>Main Products</i> | pag. 21        |
| <i>Accessories</i>   | pag. 21        |
| <i>Spare Parts</i>   | pag. 21        |
| <b>Eagle-5</b>       | <b>pag. 22</b> |
| <i>Main Products</i> | pag. 22        |
| <i>Accessories</i>   | pag. 22        |
| <i>Spare Parts</i>   | pag. 22        |
| <b>Eagle-7</b>       | <b>pag. 23</b> |
| <i>Main Products</i> | pag. 23        |
| <i>Accessories</i>   | pag. 23        |
| <i>Spare Parts</i>   | pag. 23        |
| <b>Eagle-9</b>       | <b>pag. 25</b> |
| <i>Main Products</i> | pag. 25        |
| <i>Accessories</i>   | pag. 25        |
| <i>Spare Parts</i>   | pag. 25        |
| <b>Eagle Eye-9</b>   | <b>pag. 26</b> |
| <i>Main Products</i> | pag. 26        |
| <i>Accessories</i>   | pag. 26        |
| <i>Spare Parts</i>   | pag. 26        |
| <b>ACCESSORIES</b>   | <b>pag. 27</b> |
| <i>Main Products</i> | pag. 27        |
| <i>Accessories</i>   | pag. 28        |
| <i>Spare Parts</i>   | pag. 28        |

## 4. Lowrance HOOK2

|                      |                |
|----------------------|----------------|
| <b>ACCESSORIES</b>   | <b>pag. 29</b> |
| <i>Main Products</i> | pag. 29        |
| <i>Accessories</i>   | pag. 30        |
| <i>Spare Parts</i>   | pag. 30        |

## 5. Lowrance PORTABLES / ICE

|                         |                |
|-------------------------|----------------|
| <b>Ice / All season</b> | <b>pag. 31</b> |
| <i>Main Products</i>    | pag. 31        |
| <i>Accessories</i>      | pag. 31        |
| <i>Spare Parts</i>      | pag. 32        |
| <b>Premium Ice</b>      | <b>pag. 33</b> |
| <i>Main Products</i>    | pag. 33        |
| <b>Portable ACCY.</b>   | <b>pag. 34</b> |
| <i>Main Products</i>    | pag. 34        |
| <i>Accessories</i>      | pag. 34        |
| <i>Spare Parts</i>      | pag. 34        |

## 6. Lowrance RECON

|                         |                |
|-------------------------|----------------|
| <b>RECON Freshwater</b> | <b>pag. 35</b> |
| <i>Main Products</i>    | pag. 35        |
| <i>Accessories</i>      | pag. 35        |
| <i>Spare Parts</i>      | pag. 35        |
| <b>RECON Saltwater</b>  | <b>pag. 38</b> |
| <i>Main Products</i>    | pag. 38        |
| <i>Accessories</i>      | pag. 38        |
| <i>Spare Parts</i>      | pag. 38        |
| <b>ACCESSORIES</b>      | <b>pag. 41</b> |
| <i>Main Products</i>    | pag. 41        |
| <i>Spare Parts</i>      | pag. 41        |
| <b>SERVICE PARTS</b>    | <b>pag. 42</b> |
| <i>Main Products</i>    | pag. 42        |

## 7. Lowrance GHOST

|                         |                |
|-------------------------|----------------|
| <b>Ghost</b>            | <b>pag. 45</b> |
| <i>Main Products</i>    | pag. 45        |
| <i>Accessories</i>      | pag. 45        |
| <i>Spare Parts</i>      | pag. 45        |
| <b>ACCESSORIES</b>      | <b>pag. 52</b> |
| <i>Main Products</i>    | pag. 52        |
| <i>Accessories</i>      | pag. 52        |
| <b>Mount parts</b>      | <b>pag. 53</b> |
| <i>Main Products</i>    | pag. 53        |
| <i>Spare Parts</i>      | pag. 54        |
| <b>Head parts</b>       | <b>pag. 55</b> |
| <i>Main Products</i>    | pag. 55        |
| <b>Lower unit parts</b> | <b>pag. 57</b> |
| <i>Main Products</i>    | pag. 57        |
| <b>Pedal parts</b>      | <b>pag. 58</b> |
| <i>Main Products</i>    | pag. 58        |
| <b>Shaft parts</b>      | <b>pag. 60</b> |
| <i>Main Products</i>    | pag. 60        |
| <b>Tools</b>            | <b>pag. 61</b> |
| <i>Main Products</i>    | pag. 61        |

# INDICE COMPLETO PRICEBOOK LOWRANCE

Febbraio 2026

## 8. Lowrance SONAR

|                           |                |
|---------------------------|----------------|
| <b>ActiveTarget</b>       | <b>pag. 62</b> |
| <i>Main Products</i>      | pag. 62        |
| <i>Accessories</i>        | pag. 63        |
| <b>Active Imaging</b>     | <b>pag. 65</b> |
| <i>Main Products</i>      | pag. 65        |
| <i>Accessories</i>        | pag. 66        |
| <i>Spare Parts</i>        | pag. 66        |
| <b>LiveSight</b>          | <b>pag. 67</b> |
| <i>Main Products</i>      | pag. 67        |
| <i>Accessories</i>        | pag. 67        |
| <i>Spare Parts</i>        | pag. 67        |
| <b>StructureScan</b>      | <b>pag. 68</b> |
| <i>Main Products</i>      | pag. 68        |
| <i>Accessories</i>        | pag. 69        |
| <i>Spare Parts</i>        | pag. 71        |
| <b>XSONIC Transducers</b> | <b>pag. 72</b> |
| <i>Main Products</i>      | pag. 72        |
| <i>Accessories</i>        | pag. 78        |
| <i>Spare Parts</i>        | pag. 82        |
| <b>Blu</b>                | <b>pag. 83</b> |
| <i>Main Products</i>      | pag. 83        |
| <i>Accessories</i>        | pag. 83        |
| <i>Spare Parts</i>        | pag. 84        |
| <b>HDI</b>                | <b>pag. 85</b> |
| <i>Main Products</i>      | pag. 85        |
| <i>Accessories</i>        | pag. 85        |
| <i>Spare Parts</i>        | pag. 86        |
| <b>Uniplug</b>            | <b>pag. 87</b> |
| <i>Main Products</i>      | pag. 87        |
| <i>Spare Parts</i>        | pag. 87        |
| <b>DSI</b>                | <b>pag. 88</b> |
| <i>Main Products</i>      | pag. 88        |
| <i>Accessories</i>        | pag. 88        |
| <b>Cavi</b>               | <b>pag. 89</b> |
| <i>Main Products</i>      | pag. 89        |
| <b>Halo</b>               | <b>pag. 90</b> |
| <i>Main Products</i>      | pag. 90        |
| <i>Accessories</i>        | pag. 90        |
| <i>Spare Parts</i>        | pag. 90        |

## 9. Autopilota

|                              |                |
|------------------------------|----------------|
| <b>Autopilot Kits</b>        | <b>pag. 91</b> |
| <i>Main Products</i>         | pag. 91        |
| <i>Accessories</i>           | pag. 91        |
| <i>Spare Parts</i>           | pag. 91        |
| <b>Autopilot Accessories</b> | <b>pag. 93</b> |
| <i>Main Products</i>         | pag. 93        |
| <i>Accessories</i>           | pag. 94        |
| <i>Spare Parts</i>           | pag. 94        |

## 10. VHF e AIS

|                      |                |
|----------------------|----------------|
| <b>VHF Fissi</b>     | <b>pag. 96</b> |
| <i>Main Products</i> | pag. 96        |
| <i>Accessories</i>   | pag. 96        |
| <i>Spare Parts</i>   | pag. 97        |
| <b>AIS Classe B</b>  | <b>pag. 98</b> |
| <i>Main Products</i> | pag. 98        |
| <i>Accessories</i>   | pag. 98        |

## 11. Rete

|                      |                 |
|----------------------|-----------------|
| <b>NMEA2000</b>      | <b>pag. 100</b> |
| <i>Main Products</i> | pag. 100        |
| <i>Spare Parts</i>   | pag. 101        |
| <b>Sensori</b>       | <b>pag. 102</b> |
| <i>Main Products</i> | pag. 102        |
| <i>Accessories</i>   | pag. 103        |
| <i>Spare Parts</i>   | pag. 103        |
| <b>Ethernet</b>      | <b>pag. 104</b> |
| <i>Main Products</i> | pag. 104        |
| <i>Accessories</i>   | pag. 104        |
| <i>Spare Parts</i>   | pag. 104        |
| <b>Cameras</b>       | <b>pag. 105</b> |
| <i>Main Products</i> | pag. 105        |
| <i>Accessories</i>   | pag. 105        |

## 12. Mappa

|                       |                 |
|-----------------------|-----------------|
| <b>REVEAL COASTAL</b> | <b>pag. 106</b> |
| <i>Main Products</i>  | pag. 106        |
| <b>C-MAP Discover</b> | <b>pag. 108</b> |
| <i>Main Products</i>  | pag. 108        |

## 13. Power Systems

|                      |                 |
|----------------------|-----------------|
| <b>Naviop Kits</b>   | <b>pag. 111</b> |
| <i>Main Products</i> | pag. 111        |
| <i>Accessories</i>   | pag. 111        |
| <b>Naviop Parts</b>  | <b>pag. 113</b> |
| <i>Main Products</i> | pag. 113        |

## 14. Service Parts

|                      |                 |
|----------------------|-----------------|
| <b>Service Parts</b> | <b>pag. 115</b> |
| <i>Main Products</i> | pag. 115        |
| <i>Accessories</i>   | pag. 115        |
| <b>Display</b>       | <b>pag. 117</b> |
| <i>Main Products</i> | pag. 117        |
| <b>Sonar</b>         | <b>pag. 118</b> |
| <i>Main Products</i> | pag. 118        |
| <b>Radar</b>         | <b>pag. 119</b> |
| <i>Main Products</i> | pag. 119        |
| <i>Accessories</i>   | pag. 119        |
| <b>VHF AIS</b>       | <b>pag. 120</b> |
| <i>Main Products</i> | pag. 120        |
| <b>Autopilota</b>    | <b>pag. 122</b> |
| <i>Main Products</i> | pag. 122        |

# LOWRANCE

---

**DISTRIBUTORI UFFICIALI**



# LOWRANCE

---

**DISTRIBUTORI UFFICIALI**



**sede operativa:**

S.P. 231 Km 2  
70026 Modugno (BA)

**sede legale:**

Via Trento, 3  
70126 Bari (BA)

**T: +39 080 5352863**

**@: preventivi@ddr.it**



Nautica DDR S.r.l.

---

**[www.ddr.it](http://www.ddr.it)**